


UNIRAP™

IDENTIFICATION CABLE TIES


Identification cable ties are used in both bundling and identifying wire groups at the same time.



STANDARD PACKAGE CATALOG NUMBER	MATERIAL	FIG. NO.	MARKING PAD SIZE In. [mm]	MAXIMUM BUNDLE DIAMETER In. [mm]	MINIMUM TENSILE STRENGTH Lbs. (N)	LENGTH In. [mm]	WIDTH In. [mm]	INSTALLATION TOOL & (SETTING)
CT18075IDC	Natural Nylon 6/6	1	1 × 19/64 [25.4 × 7.5]	.75 [19]	18 (80)	4.00 [102]	.10 [2.5]	MK7 (MIN)
CT18075FLC		2	13/16 × 5/16 [20.5 × 7.9]			4.25 [108]		
CT50175IDC		3	1 × 7/16 [25.4 × 11.1]	1.75 [44]	50 (222)	8.00 [203]	.18 [4.6]	MK7 (STD)
CT50175ID2L		4	1-11/16 × 5/16 [29.8 × 23.8]					
CT50175ID3L		5	1-13/16 × 15/16 [46 × 23.8]					
CT50400IDC		6	1/2 × 2-1/8 [12.7 × 54]	4.00 [107]	15.00 [381]			

UNIRAP™

MOUNTING HOLE CABLE TIES



STANDARD PACKAGE CATALOG NUMBER	MATERIAL	SCREW SIZE	MAXIMUM BUNDLE DIAMETER In. [mm]	MINIMUM TENSILE STRENGTH Lbs. (N)	LENGTH In. [mm]	WIDTH In. [mm]	INSTALLATION TOOL & (SETTING)	BULK PACKAGE CATALOG NUMBER						
CT18075MH4C	Natural Nylon 6/6	#4 (M2,5)	.75 [19]	18 (80)	4.25 [108]	.10 [2.5]	MK7 (MIN)	CT18075MH4M						
CT18075MH4C0	Black Nylon 6/6 UV							CT18075MH4M0						
CT30125MH8C	Nylon 6/6	#8 (M4)	1.25 [32]	30 (133)	6.25 [159]	.14 [3.6]	MK7 (INT)	CT30125MH8M						
CT30125MH8C0	Nylon 6/6 UV							CT30125MH8M0						
CT50175MH10C	Nylon 6/6	#10 (M5)	1.75 [44]	50 (222)	8.50 [216]	.18 [4.6]	MK7 (STD)	CT50175MH10M						
CT50175MH10C0	Nylon 6/6 UV							CT50175MH10M0						
CT50400MH10C	Nylon 6/6 GP							CT50400MH10M						
CT50400MH10C0	Nylon 6/6 UV	#10 (M5)	4.00 [102]	50 (222)	16.00 [406]	.18 [4.6]	MK7 (STD)	CT50400MH10M0						
CT120400MH14L	Nylon 6/6							1/4" (M6)	4.00 [102]	120 (534)	16.25 [413]	.30 [7.6]	MK9 (STD)	CT120400MH14D
CT120400MH14L0	Nylon 6/6 UV													CT120400MH14D0