

MATERIAL SAFETY DATA SHEET

June 13, 2007

This material safety data sheet (MSDS) is provided as a courtesy in response to a customer request. This product is not regulated under, and a MSDS is not required for this product by the OSHA Hazard Communication Standard (29 CFR 1910.1200) because, when used as recommended or under ordinary conditions, it should not present a health and safety hazard. However, use or processing of the product not in accordance with the product's recommendations or not under ordinary conditions may affect the performance of the product and may present potential health and safety hazards.

SECTION I: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: 82974 – Jersey Pes Elas 280
PRODUCT CLASS: Polyester Elastane Sport fabric.
MANUFACTURER: LOMA TEXTIL S.A. DE C.V.
ADDRESS: Javier Mina 67,
Centro
San Miguel el Alto, Jalisco. Mexico
47140
EMERGENCY PHONE: +52 (347) 788-2155
ISSUE DATE: June 13, 2007

SECTION II: INGREDIENTS

There are not hazardous ingredients as defined in the Code of Federal Regulations, Title 29, Part 1910.1200
N/A = Not Applicable
N/E = Not Established

SECTION III: HAZARDS IDENTIFICATION

Eye Contact: Not expected to cause eye irritation.
Skin Contact: Not expected to be a skin irritant.
Ingestion: Not expected to be a route of exposure.
Inhalation: Not expected to be a route of exposure.

- Polyester fabrics will melt at approximately 500° and will burn if exposed to an open flame.
- Decomposition products generated from molten polymer may be subject of auto ignition.
- Combustion products will be comprised of carbon, hydrogen, oxygen and nitrogen.
- The exact composition will depend on the conditions of combustion.

SECTION IV: FIRST AID MEASURES

ROUTES OF ENTRY

- Inhalation: N/A
- Skin Contact: N/A
- Eye Contact: N/A
- Ingestion: N/A

Exposure to polyester sport fabrics would pose no problems under normal conditions of handling and use.

SECTION V: FIRE FIGHTING MEASURES**EXTINGUISHING MEDIA**

- CO₂
- Foam
- Dry Chemical

SPECIAL HAZARDS

- During combustion, smoke may contain toxic compounds such as carbon monoxide, and other elemental oxides.

PROTECTIVE EQUIPMENT

- No special measures required

SECTION VI: ACCIDENTAL RELEASE MEASURES**PERSON-RELATED SAFETY PRECAUTIONS**

- Customary personal hygiene measures such as washing hands after working with such fabrics is recommended.

SECTION VII: HANDLING AND STORAGE**INFORMATION ABOUT PROTECTION AGAINST EXPLOSIONS AND FIRES**

- Keep away from potential fire hazards

SECTION VIII: EXPOSURE CONTROLS/PERSONAL PROTECTION**OTHER PROTECTIVE WORK CLOTHING**

- ANSI approved steel-toed shoes if handling bulk rolls or large quantities.

RESPIRATORY PROTECTION

- None required for normal use.

GLOVES

- None required for normal use.

EYE PROTECTION

- None required for normal use.

OTHER WORK/HYGIENE PRACTICES

- Wash hands with soap and water after handling.

SECTION IX: PHYSICAL AND CHEMICAL PROPERTIES**GENERAL INFORMATION**

- 100% Polyester fabric for sport garments

SECTION X: STABILITY AND REACTIVITY

- Stability: N/A
- Conditions to avoid: Fire or excessive heat
- Incompatibility: None
- Hazardous decomposition products: None
- Hazardous polymerization: Will not occur

SECTION XI: TOXICOLOGICAL INFORMATION

- No toxicological studies have been conducted on this product.

SECTION XII: ECOLOGICAL INFORMATION

- No data available

SECTION XIII: DISPOSAL INFORMATION

- Waste Disposal: Dispose of in accordance with local, State and Federal regulations

SECTION XIV: TRANSPORT INFORMATION

- Not a hazardous material for DOT shipping.

PRODUCT SPECIFICATIONS

ISSUE DATE: June 13, 2007

PRODUCT DETAILS

PRODUCT ID AND NAME: 82974 – JERSEY PES ELAS 280
COMPOSITION: 92% Polyester, 8% Elastane
COLORS: Grey and Black
ADDITIONAL FINISHES: CRONION.
HIXON

FINISHES**CRONION:**

Inhibit the growth of bacteria

- Adds superior odor and fiber-degradation resistance to their products through the use of a powerful antimicrobial substance – metallic silver.
- Durable through at least 30 home laundering.

HIXON:

Product for the durable hydrophilic, antistatic and soil release finishing of polyester fabrics.

- Increased comfort during wear through moisture transportation.
- Significantly improving fat and soil release.
- Gives fabrics a warm luxurious feel.
- Durable through at least 30 home laundering.

CARE INSTRUCTIONS

- Hand or Machine wash cold with like colors
- Do not bleach
- Do not use softeners
- Tumble dry low
- Do not iron
- Do not dry clean

UV PROTECTION

- 30 UPF