

PZ 10 SQR**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 16

D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-292083

www.weidmueller.com

**Crimping tools for wire end ferrules, with and without plastic collars**

- Ratchet guarantees precise crimping
- Release option in the event of incorrect operation

General ordering data

| | |
|------------|---|
| Type | PZ 10 SQR |
| Order No. | 1445080000 |
| Version | Crimping tool for wire-end ferrules, 0.14mm ² , 10mm ² , Square crimp |
| GTIN (EAN) | 4050118250152 |
| Qty. | 1 pc(s). |

PZ 10 SQR

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data
Dimensions and weights

| | | | |
|--------|--------|----------------|------------|
| Width | 195 mm | Width (inches) | 7.677 inch |
| Weight | 600 g | Net weight | 605 g |

Environmental Product Compliance

| | |
|------------|----------------|
| REACH SVHC | Lead 7439-92-1 |
|------------|----------------|

Description of contact

| | | | |
|----------------------|--|----------------------|----------------------|
| Type of contact | Wire-end ferrules with/ without plastic collars | Crimping range, min. | 0.14 mm ² |
| Crimping range, max. | 10 mm ² | | |

tool data crimping

| | |
|-----------------------|--------------|
| Crimping type/profile | Square crimp |
|-----------------------|--------------|

Classifications

| | | | |
|------------|-------------|------------|-------------|
| ETIM 3.0 | EC000005 | ETIM 4.0 | EC000005 |
| ETIM 5.0 | EC000168 | ETIM 6.0 | EC000168 |
| eClass 6.2 | 21-04-38-10 | eClass 7.1 | 21-04-38-10 |
| eClass 8.1 | 21-04-38-10 | eClass 9.0 | 21-04-38-11 |
| eClass 9.1 | 21-04-38-11 | | |

Downloads


| | |
|--------------------|--------------------------------------|
| Brochure/Catalogue | CAT 6 TOOLS 15/16 EN |
|--------------------|--------------------------------------|

Data sheet

PZ 10 SQR

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings



Example of use

