


**Dekafix
DEK 5/3.5 MC NE WS**

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com



Similar to illustration



The Dekafix (DEK) marker is the universal marker for all conductor and plug-in connectors as well as for electronic sub-assemblies. The system is ideal for short number sequences and covers a wide range of ready-printed markers.

Strips for fast installation in only one work step. The printing is easy to read, rich in contrast and available in various widths.

- Large range of ready-to-use markers
- Strips for fast installation
- Terminal markers, suitable for all Weidmüller cable connectors
- Available as blank MultiCard or with standard printing

For custom printing: Please send us a file of our labeling software M-Print PRO or M-Print PRO Online (without installation) for your labeling specifications.

General ordering data

Type	DEK 5/3.5 MC NE WS
Order No.	1755270000
Version	Dekafix, Terminal marker, 5 x 3.5 mm, Pitch in mm (P): 3.50 Weidmueller, white
GTIN (EAN)	4032248017348
Qty.	500 pc(s).
compatible printer	1324380000 2438520000 2438510000

Data sheet

Dekafix DEK 5/3.5 MC NE WS

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data

Dimensions and weights

Width	3.5 mm	Width (inches)	0.138 inch
Height	5 mm	Height (inches)	0.197 inch
Net weight	0.168 g		

General data

Application/manufacturer	Weidmueller	Colour	white
Material	Polyamide 66	Material colour according to resistance code	9
Operating temperature range	-40...100 °C	UL 94 flammability rating	V-2
Width	3.5 mm		

Connector markers

Pitch in mm (P)	3.5 mm
-----------------	--------

Classifications

ETIM 3.0	EC000761	ETIM 4.0	EC000761
ETIM 5.0	EC000761	ETIM 6.0	EC000761
UNSPSC	30-21-18-07	eClass 5.1	27-14-11-37
eClass 6.2	27-14-11-37	eClass 7.1	27-14-11-37
eClass 8.1	27-14-11-37	eClass 9.0	27-14-11-37
eClass 9.1	27-14-11-37		

Approvals

ROHS	Conform
------	---------

Downloads

Brochure/Catalogue	CAT 1 TERM 16/17 EN
Engineering Data	EPLAN, WSCAD, Zuken E3.S
Engineering Data	27470_DEK_5-3.5_MC_DXF.dxf STEP
Software	M-Print PRO configuration file

Data sheet

Dekafix
DEK 5/3.5 MC NE WS

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings



Drawing

