Weatherproof metallic covers Universal flip-lid weatherproof covers

Single-gang device covers

	O-1 N	0-1	D	Std.			
Donator and the first	Cat. No.	Color	Description	ctn.			
Duplex receptacle	e cover, horizontal	iou	in	1.50			
	CCD	Silver	Device mount	50			
100	CCD-L	Silver	Device mount	50			
1	000.50	Oilvan	with lock option	50			
	CCD-FS	Silver	Box mount	50			
CCD	WR81-CN	Natural	Cover, stay-open lid	50			
	WRH80-C	Gray	Cover, self-closing lids	10			
	D-PAK	•	•	-			
	DCCD	Silver	Device mount	20			
	DCCD-BR	.	Device mount	20			
	DCCD-WH	White	Device mount	20			
	DCCDSO	Silver	Device mount,	20			
	230200	5	stay open				
	DCCDSO-BR	Bronze	Device mount, stay open	20			
	DCCDSO-WH	White	Device mount, stay open	20			
Duplex receptacle	cover. vertical	<u>. </u>	1 3, 0 00.1				
	CCDV	Silver	Device mount	25			
	CCDV-L	Silver	Device mount	25			
120	005.2	0	with lock option				
1	D-PAK	D-PAK					
	DCCDV	Silver	Device mount	20			
	DCCDV-BR		Device mount	20			
CCDV	DCCDV-WH	White	Device mount	20			
GFCI receptacle co	•		, 23,100 modili				
	CCG	Silver	Device mount	25			
	CCG-FS	Silver	Box mount	25			
	CCG-L	Silver	Lockable	25			
in T	D-PAK	Ollvei	Loonable	.20			
	DCCG	Silver	Device mount	16			
	<u> </u>	 		ļ			
200	DCCG-BR	Bronze	Device mount	16			
CCG	DCCG-WH	White	Device mount	16			
GFCI Receptacle c			:				
	CCGV	Silver	Device mount	25			
	CCGV-L	Silver	Device mount	25			
			with lock option	<u> </u>			
	D-PAK						
	DCCGV	Silver	Device mount	20			
	DCCGV-BR	Bronze	Device mount	20			
CCGV	DCCGV-WH	White	Device mount	20			

Note: All covers packed with gasket and screws.

Single-gang gasket

	6_00	Cat. No.	Color	Description	Std. ctn.
		CCK	Black	Neoprene	40
CCK					

		,		
	Cat. No.	Color	Description	Std. ctn.
Single receptacle co			59" Diameter opening	Otti.
	ccs	Silver	Device mount	25
	CCS-L	Silver	Lockable	25
ccs	ccsso	Silver	Stay open lid	25
Single receptacle co	: over, vertical	1.59"	/2.156" Diameter opening	
	CCSV	Silver	Device mount	25
	CCSV-L	Silver	Device mount with lock option	25
ccsv	CCPO	Silver	Power outlet cover with 2.156" Diameter opening, box mount	25
	CCPO-L	Silver	Box mount with lock option	25
Single receptacle co	ver, vertical	-1.59"	Opening	
CCSV-TL	CCSV-TL	Silver	Device mount integral locking hasp	25
Motor base plug and	d cover, hori	zontal		
ССМВ	CCMB	Silver	Device mount 15a, 125v Motor base plug	10
Switch cover only	•	•	.	2
сст	ССТ	Silver	Device mount switch cover only, packed with spacers and screws	25
Switch cover with sv	witch			
	CCT-1	Silver	Single-pole 15a, 125v	10
÷ .	CCT-1-20	Silver	Single-pole 20a, 120-277v	10
CCT-1	SW1	Silver	One-gang cover with 10a, 125v single-pole switch	25
001-1	SW2	Silver	One-gang cover with 10a, 125v double-pole switch	10
	SW20- 1/710	Silver	One-gang cover with 20a, 102/277v single-pole switch (special oil- and gas-resistant gasket)	50
	SW20-2	Silver	One-gang cover with 20a, 102/277v double-pole switch	25

UL Listed E-18407. CSA Certified LR-016807.

Weatherproof metallic covers Universal flip-lid weatherproof covers

Two-gang device covers

	Cat. No.	Color	Description	Std. ctn.
Two-duplex receptac	le cover	•	•	•
di	2CCD	Silver	Device mount	10
8	2CCD-L	Silver	Device mount with lock option	10
	WR281-CBR	Silver	Cover, self-closing lids	10
2CCD	WR281-C-WH	.;	Cover, self-closing lids	10
Two OFOL managed and		Glivei	Cover, self-closing lids	10
Two-GFCI receptacle	_,	Cilvor	Device mount	:40
2CCG	2CCG	Silver	Device mount	10
One duplex and one	GFCI receptacle	cover	:	•
and the	2CCDG	Silver	Device mount	10
2CCDG				
Two-single receptacl			•	
75	2CCS	Silver	Device mount	10
	2CCS-L	Silver	Device mount	10
2CCS			with lock option	
One single receptacl	: e and one duple	x recept	acle cover—	:
1.485" Diameter ope	ning			
2CCSD 2	2CCSD	Silver	Device mount	10
10.000	d one GECL recor	tacle co	over—1.485" Diameter ope	ning
olligie receptacie and	2CCSG	Silver	Device mount	10
	2003G	Silvei	Device mount	10
2CCSG	2CCSG-L	Silver	Device mount with lock option	10
Double switch cover	- :	•	:	•
	2CCT	Silver	Cover only, packed with spacers	10
Mal	2CCT-1	Silver	Cover with two single-pole 15a, 125v	5
2CCT			switches and spacers	
Switch and one dupl		over		
6	2CCTD	Silver	Cover only, packed with spacers	10
2CCTD	200TD-1	Silver	Cover with one switch single-pole 15a, 125v and one duplex recep- tacle and spacers	5
Switch and one GFC	l receptacle cov	er	,	,
This	2CCTG	Silver	Device mount cover only with spacers	10
2CCTG				

-				٠
Note: Raintight when used	d with appropriate	e Red∙Do	ot® boxes. All covers packed	
with dasket and screws				

	Cat. No.	Color	Description	Std. ctn.
Power outlet cover				
2CCPOX	2CCPOX	Silver	Power outlet cover with 2.55" opening	10

Blank covers


Dialik Covers				,
	Cat. No.	Color	Description	Std. ctn.
Single-gang				•
	CCB	Silver	Powder-coated steel device mount	100
	CCB-AL	Silver	Blank stamped aluminum cover	100
ССВ	CCB-FS	Silver	Powder-coated steel box mount	100
	D-PAK	•	•	
	DCCB-AL	Silver	Blank stamped aluminum cover — bulk pack	20
	S340E-20R	Silver	Powder-coated steel device mount	20
	S340BRE-R	Bronze	Powder-coated steel device mount	20
	S340WHE-R	White	Powder-coated steel device mount	20
Two-gang	•	•	•	•
	2CCB	Silver	Powder-coated steel device mount	50
	2CCB-AL	Silver	Blank stamped aluminum cover	50
2CCB	2CCB-FS	Silver	Powder-coated steel box mount	50
Three-gang	•	•		
0	3CCB	Silver	Powder-coated steel box mount	25
	3CCB-AL	Silver	Blank stamped aluminum cover	25
3CCB				
Note: Raintight when u gasket and screws.	sed with appropria	ate Red•Do	: t® boxes. All covers packed	with

Two-gang gasket

		Cat. No.	Color	Description	Std. ctn.
		R104		Two-Gang	100
R104	0 0 0			Gasket	

Weatherproof metallic covers Universal flip-lid weatherproof covers

Single-gang covers



Two- and three-gang covers

