# Eaton NON-70

# Catalog Number: NON-70

Eaton Bussmann series NON fuse, Non current limiting, Light duty circuit locations, 70 A, Class H, Non-indicating, Blade end x blade end, 50 kAIC at 125 Vdc|10 kAIC at 250 Vac, Standard, 5, 250 V, 125 Vdc

## General specifications

**Product Name** 

Eaton Bussmann series NON fuse

**UPC** 

051712101653

Product Height

1.06 in

**Product Weight** 

0.3 lb

Compliances

CE Marked

Catalog Number

NON-70

Product Length/Depth

5.88 in

Product Width

1.06 in

Warranty

Not Applicable



# Electrical rating

#### Amperage Rating

70 A

#### Interrupt rating

50 kAIC at 125 Vdc 10 kAIC at 250 Vac

#### Voltage rating

250 Vac, 125 Vdc

# Physical details

#### Packaging type

Standard

## General information

#### Class

Class H

#### Connection

Blade end x blade end

#### Fuse indicator

Non-indicating

#### Quantity

5

#### Special features

Non current limiting

#### Resources

#### Catalogs

Bussmann series full line catalog 1007, section 01- low voltage branch circuit fuses

Bussmann series complete full line catalog no. 1007

#### Multimedia

Bussmann series Fuseology

### Specifications and datasheets

Eaton Specification Sheet - NON-70

#### Technical data sheets

NON-70~BUSS ONE TIME FUSE

#### Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia