Eaton LP-CC-30

Catalog Number: LP-CC-30

Eaton Bussmann series LP-CC fuse, Current-limiting time-delay fuse, Rejection style, 30 A, Dual, CC, Non-indicating, Ferrule end x ferrule end, 12 sec at 200%, 200 kAIC at 600 V/20 kAIC at 300 Vdc, Melamine tube, 10, 600 V, 300 Vdc



General specifications

Product Name Eaton Bussmann series LP-CC fuse

UPC 051712180313

Product Length/Depth 0.41 in

Product Width

0.41 in

Warranty Not Applicable Catalog Number LP-CC-30 EAN 5027590063814

Product Height 1.5 in

Product Weight 0.15 lb

Compliances CE Marked

RoHS Compliant

Powering Business Worldwide

Product specifications

Fuse indicator

Non-indicating

Special features

Rejection style

Interrupt rating 200 kAIC at 600 Vac 20 kAIC at 300 Vdc

Number of elements

Dual

Connection Ferrule end x ferrule end

Response time

12 sec at 200%

Quantity

10

Material

Melamine tube

Amperage Rating

30 A

Type Current-limiting time-delay fuse

Class

Class CC

Voltage rating 600 Vac, 300 Vdc

Application Specialized circuits and industrial control

Packaging type

Standard

Resources

Catalogs

LP-CC-30~LOW PEAK CC TIME DELAY

Bussmann series full line catalog 1007, section 01- low voltage branch circuit fuses

Bussmann series complete full line catalog no. 1007

Multimedia Bussmann series Fuseology

Specifications and datasheets Eaton Specification Sheet - LP-CC-30

Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2023 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia