Product specifications

Eaton JKS-6

Catalog Number: JKS-6

Eaton Bussmann series JKS fuse, Power panelboards, Machinery disconnects, 6 A, 1, Class J, Non-indicating, Ferrule end x ferrule end, 200 kAIC at 600 Vac, Standard, 10, 600 V

General specifications

Product Name Catalog Number

Eaton Bussmann series JKS fuse JKS-6

UPC EAN

051712630061 5027590445214

Product Length/Depth Product Height

0.81 in 2.25 in

Product Width Product Weight

0.81 in 1.15 lb

Warranty Compliances

Not Applicable CE Marked

RoHS Compliant



Electrical rating

Amperage Rating

6 A

Interrupt rating

200 kAIC at 600 Vac

Voltage rating

600 V

Physical details

Number of elements

1

Packaging type

Standard

General information

Class

Class J

Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating

Quantity

10

Special features

Non-indicating

Resources

Catalogs

Bussmann series full line catalog 1007, section 01- low voltage branch circuit fuses

Bussmann series complete full line catalog no. 1007

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - JKS-6

Technical data sheets

JKS-6~LIMITRON FAST ACTING FUSE CLASS J

Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2023 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia