

# SAFETY DATA SHEET

# 1. Identification

Product identifier	OCAL PVC Patching Compound Dark Grey
Other means of identification SDS number	SDS-00015
Product code	PATCHG-G, PATCHP-G
Recommended use	Water Extendible Coating.
Recommended restrictions	None known.
Manufacturer/Importer/Supplier/I	Distributor information
Company name	Thomas & Betts Corporation
Address	8155 T & B Boulevard
	Memphis, TN 38125
	USA
Telephone	901-252-5000 ext.8324
E-mail	Not available.
Emergency phone number	For Hazardous Materials [or Dangerous Goods] Incident Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night +1 703-741-5970

# 2. Hazard(s) identification

Physical hazards	Not classified.
Health hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	The mixture does not meet the criteria for classification.
Precautionary statement	
Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	CAS number	<mark>%</mark> 1-5	
Benzyl alcohol	100-51-6		
Titanium dioxide	13463-67-7	1-5	
Carbon black	1333-86-4	0.1-1	
Other components below reportable levels		93.45	

Other components below reportable levels

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

# 4. First-aid measures

**Composition comments** 

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing	Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed.

Will burn if involved in a fire.

This product is miscible in water.

remove residual contamination.

Move containers from fire area if you can do so without risk.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Use standard firefighting procedures and consider the hazards of other involved materials.

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

7. Handling and storage
Precautions for safe handling
Conditions for safe storage,
Store in original tightly closed container. Store away from incompatible materials (see Section 10

Avoid discharge into drains, water courses or onto the ground.

Conditions for safe storage,<br/>including any incompatibilitiesStore in origi<br/>of the SDS).

# 8. Exposure controls/personal protection

#### **Occupational exposure limits**

media

the chemical

**Fire fighting** 

Specific hazards arising from

**Special protective equipment** 

equipment/instructions Specific methods

General fire hazards

Personal precautions,

protective equipment and emergency procedures

Methods and materials for containment and cleaning up

**Environmental precautions** 

and precautions for firefighters

6. Accidental release measures

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Carbon black (CAS 1333-86-4)	PEL	3.5 mg/m3	
Titanium dioxide (CAS 13463-67-7)	PEL	15 mg/m3	Total dust.
US. ACGIH Threshold Limit Val	ues		
Components	Туре	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3.5 mg/m3	Inhalable fraction.

## **US. ACGIH Threshold Limit Values**

Components	Туре	Value	Form
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	
Carbon black (CAS 1333-86-4)	TWA	3.5 mg/m3	
US. Workplace Environme	ental Exposure Level (WEEL) Guides		
Components	Туре	Value	
Benzyl alcohol (CAS 100-51-6)	TWA	44.2 mg/m3	
		10 ppm	
ological limit values	No biological exposure limits noted	for the ingredient(s).	
opropriate engineering ontrols	Good general ventilation (typically 1 should be matched to conditions. If or other engineering controls to mai exposure limits have not been estab	applicable, use process enclos ntain airborne levels below rec	ures, local exhaust ventilatio ommended exposure limits. I
dividual protection measure	s, such as personal protective equipr	nent	
Eye/face protection	Wear safety glasses with side shield	ls (or goggles).	
Skin protection			
Hand protection	Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.		
Skin protection			
Other	Wear suitable protective clothing.		
Respiratory protection	In case of insufficient ventilation, we	ar suitable respiratory equipme	ent.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
eneral hygiene onsiderations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		
Physical and chemica	I properties		
opearance	Heavy glossy fluid.		
Physical state	Liquid.		

Appearance	neavy glossy huld.
Physical state	Liquid.
Form	Liquid.
Color	Not available.
Odor	Mild.
Odor threshold	3.92
рН	Not available.
Melting point/freezing point	32 °F (0 °C)
Initial boiling point and boiling range	212 °F (100 °C)
Flash point	1828.4 °F (998.0 °C)
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.

Vapor density	3.7	
Relative density	1.077	
Solubility(ies)		
Solubility (water)	Soluble in water.	
Partition coefficient (n-octanol/water)	Not available.	
Auto-ignition temperature	Not available.	
Decomposition temperature	Not available.	
Viscosity	Not available.	
Other information		
Explosive properties	Not explosive.	
Oxidizing properties	Not oxidizing.	
VOC (Weight %)	0.24 lb/gal (excluding water)	
10. Stability and reactivit	y	

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Carbon oxides.

# 11. Toxicological information

## Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.

## Information on toxicological effects

Acute toxicity	Not expected to be acutely toxic.	
Components	Species	Test Results
Benzyl alcohol (CAS 100-51-6)		
Acute		
Dermal		
LD50	Rabbit	2000 mg/kg
Inhalation		
LC50	Rat	8.8 mg/l, 4 Hours
Oral		
LD50	Rat	1230 - 3100 mg/kg
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.	
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.	
Respiratory or skin sensitization	1	
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	

Carcinogenicity	Inhalation of carbon black or titanium dioxide dust may cause cancer, however due to the physical form of the product, inhalation of dust is not likely.		
IARC Monographs. Overall I	Evaluation of Carcinogenicity		
Carbon black (CAS 1333- Titanium dioxide (CAS 13 NTP Report on Carcinogens	463-67-7)	2B Possibly carcinogenic to humans. 2B Possibly carcinogenic to humans.	
Not listed.			
OSHA Specifically Regulate	d Substances (29 CFR 1910.10	01-1050)	
Not regulated.			
Reproductive toxicity	This product is not expected to	cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.		
12. Ecological information			
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.		
Persistence and degradability	No data is available on the degradability of this product.		
Bioaccumulative potential			
Partition coefficient n-octan Benzyl alcohol (CAS 100-51-6		1.1	
Mobility in soil	Expected to be mobile in soil.		
Other adverse effects		al effects (e.g. ozone depletion, photochemical ozone creation global warming potential) are expected from this component.	
13. Disposal consideration	IS		
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.		
Local disposal regulations	Dispose in accordance with all applicable regulations.		
Hazardous waste code	The waste code should be ass disposal company.	igned in discussion between the user, the producer and the waste	
Waste from residues / unused products		local regulations. Empty containers or liners may retain some and its container must be disposed of in a safe manner (see:	
Contaminated packaging		retain product residue, follow label warnings even after container is	

## 14. Transport information

DOT

Not regulated as dangerous goods.

#### ΙΑΤΑ

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

## 15. Regulatory information

#### **US** federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

emptied. Empty containers should be taken to an approved waste handling site for recycling or

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

disposal.

Not regulated.

OSHA Specifically Regula	ted Substances (29 CFR 1910.1001-1050)	
Not regulated.		
CERCLA Hazardous Subs	tance List (40 CFR 302.4)	
Not listed.		
Superfund Amendments and F Hazard categories	Reauthorization Act of 1986 (SARA) Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No	
SARA 302 Extremely haza Not listed.	-	
SARA 311/312 Hazardous	Νο	
chemical		
SARA 313 (TRI reporting) Not regulated.		
Other federal regulations		
Clean Air Act (CAA) Section	on 112 Hazardous Air Pollutants (HAPs) List	
Not regulated. Clean Air Act (CAA) Section	on 112(r) Accidental Release Prevention (40 CFR 68.130)	
Not regulated.		
Safe Drinking Water Act (SDWA)	Not regulated.	
US state regulations	WARNING: This product contains chemicals known to the State of C	alifornia to cause cancer.
US. Massachusetts R	TK - Substance List	
Benzyl alcohol (CA Carbon black (CAS Titanium dioxide (C <b>US. New Jersey Work</b>	S 1333-86-4)	
Carbon black (CAS Titanium dioxide (C		
Benzyl alcohol (CA		
Carbon black (CAS Titanium dioxide (C	S 1333-86-4)	
US. Rhode Island RT		
Not regulated.		
US. California Proposition	65	
WARNING: This produ	ct contains a chemical known to the State of California to cause cancer.	
US - California Propos	sition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substa	ance
Carbon black (CAS Titanium dioxide (C		
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
OCAL BVC Batabing Compound Do		6D6 116

#### Country(s) or region

#### Inventory name

#### United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

Issue date	18-December-2015
Revision date	12-May-2016
Revision #	2
HMIS® ratings	Health: 0 Flammability: 1 Physical hazard: 0
NFPA ratings	

Disclaimer

Thomas & Betts Corporation cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.