



[Catalog Home](#)

**Product Datasheet**



**ANDERSON FARGO**

**VHSS750 -- Versatile Splice**



Copper short barrel Versatile splice

**Product Specifications**

<p><b>Splice Type</b></p>	 <p><b>VERSAtile™</b> <b>Compression Splices</b> (For use with Die type and VersaCrimp tools)</p>
<p><b>Versatile Compression Series</b></p>	 <p><b>VHSS Series</b> <b>Compression Splice</b> <b>VERSAtile™</b> <b>Minimum Tension</b> <b>Copper Conductor</b></p>
<p><b>PDF Catalog Page</b></p>	<p><a href="#">Click HERE to view the web page.</a></p>
<p><b>Conventional Tooling Conductor Size Minimum</b></p>	<p>0.998 in</p>
<p><b>Conventional Tooling Conductor Size Maximum</b></p>	<p>0.998 in</p>
<p><b>VersaCrimp Conductor Size Minimum</b></p>	<p>0.811 in</p>
<p><b>VersaCrimp Conductor Size Maximum</b></p>	<p>0.998 in</p>
<p><b>Material</b></p>	<p>Copper</p>
<p><b>Conventional Tooling Minimum Conductor</b></p>	<p>.998 in</p>
<p><b>Conventional Tooling Maximum Conductor</b></p>	<p>.998 in</p>
<p><b>Conventional Tooling Conductor Size</b></p>	<p>750 MCM</p>
<p><b>VersaCrimp Conductor Range</b></p>	<p>500-750 MCM</p>

<b>VersaCrimp Conductor Minimum</b>	.811 in
<b>VersaCrimp Conductor Maximum</b>	.998 in
<b>Dimension D</b>	1.62 in (41 mm)
<b>Dimension L</b>	3.38 in (86 mm)
<b>Length before Compression</b>	3.38 in (86 mm)
<b>Compression Method</b>	VersaCrimp or Conventional Die Tooling
<b>Die Size</b>	VC6FT, VC7FT or VC8
<b>UL Listed</b>	Yes
<b>Color Code</b>	Black
<b>Material Type</b>	Non-Standard
<b>UPC Code</b>	09635933914
<b>Standard Package</b>	3
<b>Standard Package Unit</b>	Each
<b>Min Order Qty</b>	3
<b>Weight / Ea.</b>	0.49 lbs

### Notes

For use with copper stranded conductor only.

### Features

For use with VersaCrimp or conventional die type tooling.

### Compressed Product Number

VHSS750

[Catalog Home](#)



[Warranty Info](#) | [Trademarks](#) | [Terms of Use](#)

*All contents Copyright © 2007 Hubbell Power Systems, Inc. All rights reserved.*

NOTE: Because Hubbell has a policy of continuous product improvement, we reserve the right to change design and specifications without notice.