

IEC

IECEE



TM

Ref. Certif. No.

CN65434

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT
(IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

AC Contactor

Name and address of the applicant

Schneider Electric Manufacturing (Wuhan) Co., Ltd.
No.1 3rd Fozuling Road, Donghu New&High Tech
Development Zone, Wuhan, Hubei Province, P.R.China

Name and address of the manufacturer

Schneider Electric Industries SAS
35 Rue Joseph Monier, 92500 Rueil-Malmaison France

Name and address of the factory

*Note: When more than one factory, please report on page 2*Schneider Electric Manufacturing (Wuhan) Co., Ltd.
No.1 3rd Fozuling Road, Donghu New&High Tech
Development Zone, Wuhan, Hubei Province, P.R.China

Ratings and principal characteristics

See the Appendix

Trademark (if any)

Schneider Electric

Customer's Testing Facility (CTF) Stage used

N/A

Model / Type Ref.

LC1D25, LC1D32, LC1D38, LC2D25, LC2D32, LC2D38;

Additional information (if necessary may also be
reported on page 2)A sample of the product was tested and found
to be in conformity withIEC 60947-4-1:2018;IEC 60947-1:2007;IEC
60947-1:2007/AMD1:2010;IEC 60947-1:2007/AMD2:2014As shown in the Test Report Ref. No. which
forms part of this Certificate

00901-CB2024CQC-112960

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.

Section 9, No. 188 Nansihuan Xilu, Beijing 100070 P. R. China

Tel: +86-10-83886666 Fax: +86-10-83886282

website: <http://www.cqc.com.cn>

Date: Apr.02,2024

Signature:

谢肇煦

Xie ZhaoXu



LC1D25, LC1D32, LC1D38, LC2D25, LC2D32, LC2D38

Ui: 690V;

Uimp: 6kV;

LC1D25, LC2D25

Ith: 40A;

AC-3: Ue/Ie: 230V/20A, 400V/22A, 440V/25A, 500V/23A, 690V/17A;

AC-4: Ue/Ie: 230V/16.7A, 400V/18.34A, 440V/20.84A, 500V/19.2A, 690V/14.2A;

AC-3e: Ue/Ie: 230V/20A, 400V/22A, 440V/25A, 500V/23A, 690V/17A;

LC1D32, LC2D32

Ith: 50A;

AC-3: Ue/Ie: 230V/27A, 400V/29A, 440V/32A, 500V/28A, 690V/21A;

AC-4: Ue/Ie: 230V/22.5A, 400V/24.2A, 440V/20.84A, 500V/19.2A, 690V/14.2A;

AC-3e: Ue/Ie: 230V/27A, 400V/29A, 440V/32A, 500V/28A, 690V/21A;

LC1D38, LC2D38

Ith: 50A;

AC-3: Ue/Ie: 230V/31.7A, 400V/35A, 440V/38A, 500V/28A, 690V/21A;

AC-4: Ue/Ie: 230V/26.42A, 400V/29.2A, 440V/20.84A, 500V/19.2A, 690V/14.2A;

AC-3e: Ue/Ie: 230V/31.7A, 400V/35A, 440V/38A, 500V/28A, 690V/21A;

Us: AC12V 50/60Hz, 21V 50/60Hz, 24V 50/60Hz, 32V 50/60Hz, 36V 50/60Hz,

42V 50/60Hz, 48V 50/60Hz, 60V 50/60Hz, 100V 50/60Hz, 110V 50/60Hz,

115V 50/60Hz, 120V 50/60Hz, 127V 50/60Hz, 140V 50/60Hz, 200V 50/60Hz,

Page 1 of 2

Additional information (if necessary)

Date:

Apr.02,2024

Signature:

谢肇煦
Xie ZhaoXu

208V 50/60Hz, 220V 50/60Hz, 230V 50/60Hz, 240V 50/60Hz, 277V 50/60Hz,
380V 50/60Hz, 400V 50/60Hz, 415V 50/60Hz, 440V 50/60Hz, 480V 50/60Hz,
500V 50/60Hz, 575V 50/60Hz, 600V 50/60Hz, 660V 50/60Hz, 690V 50/60Hz;
AC480V 60Hz, 575V 60Hz, 600V 60Hz;
DC12V, 20V, 24V, 32V, 36V, 48V, 60V, 72V, 96V, 100V, 110V, 125V, 155V,
174V, 200V, 220V, 250V, 305V, 348V, 440V;
DC24VLC;
3P;
Frequency: 50/60Hz;
IP20(only front face);
Auxiliary contacts (body):
Ith:10A;
AC-15: Ue/Ie: 120V/6A, 600V/1.04A;
DC-13: Ue/Ie: 125V/1.1A, 600V/0.2A;
1NO1NC

Page 2 of 2

Additional information (if necessary)

Date:

Apr.02,2024

Signature:


Xie ZhaoXu