

# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20170403- E164862  
**Report Reference** E164862-20001010  
**Issue Date** 2017-APRIL-03

**Issued to:** Schneider Electric Industries S A, DBA Telemecanique  
8001 Knightdale Blvd  
Knightdale NC 27545

**This is to certify that  
representative samples of**

MOTOR CONTROLLERS, MAGNETIC  
See Addendum Page

Have been investigated by UL in accordance with the  
Standard(s) indicated on this Certificate.

**Standard(s) for Safety:**

UL 60947-4-1 and CAN/CSA C22.2 No. 60947-4-1-07 ,Low-  
Voltage Switchgear and Controlgear - Part 4-1: Contactors  
and Motor-Starters - Electromechanical Contactors and  
Motor-Starters;  
UL 60947-1 and CAN/CSA C22.2 No. 60947-1-13, Low-  
Voltage Switchgear and Controlgear - Part 1: General Rules

**Additional Information:**

See the UL Online Certifications Directory at  
[www.ul.com/database](http://www.ul.com/database) for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's  
Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program  
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please  
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20170403- E164862  
**Report Reference** E164862-20001010  
**Issue Date** 2017-APRIL-03

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Cat. Nos. LC1D and LC2D ac coil devices, followed by two digit numbers may be followed by one digit number, followed by one or two letters, may be followed by a digit number, and may be followed by S182 or S335 or S207. Kits for reversing contactor Cat. No. LAD9R1V and LAD9R1.

Cat. Nos. LC1DT and LC2DT AC coil devices, followed by two digit numbers, may be followed by one digit number, followed by one or two letters, may be followed by a digit number number and may be followed by S335 or S207.

Cat. No. LC1D AC coil devices, followed by two digit numbers, followed by 8, may be followed by one digit number, followed by one or two letters, may be followed by a digit number number and may be followed by S335 or S207.

Kit Cat. Nos. LADT9R1 and R1V for reversing contactors Cat. Nos. LC2DT.

Kit Cat. Nos. LADT3R1 for reversing contactor Cat. No. LC2DT203.

Cat. No. DPE ac coil devices, followed by two digit numbers may be followed by one digit number, followed by one or two letters, may be followed by a digit number.

Cat Nos. T02AN13, T02BN13, T02CN13, T02AN23, T02BN23, and T02CN23 followed by one or two letters, may be followed by a number.



Bruce Mahrenholz, Director North American Certification Program  
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

