



产品认证证书

证书编号: CQC2003010304059246

申请人名称及地址

施耐德电气(中国)有限公司上海分公司
上海市普陀区绥德路669号

制造商名称及地址

Schneider Electric Industries SAS
35 Rue Joseph Monier 92500 Rueil-Malmaison, France

生产企业名称及地址

PT. Schneider Electric Manufacturing Batam(V049531)
Jl Beringin Lot 4, Lot 208, Lot 1, Lot 15, Lot 16, DAN Lot 16A BIP Muka
Kuning Kel.Muka Kuning Kec. Sungai Beduk - Batam, Indonesia

产品名称和系列、规格、型号

信号灯

XVB: Ui:250V; Uimp:4kV; XVBC3.:Ue:AC24-48V,48-230V, XVBC4.:Ue:AC24-48V,48-230V,
XVBC2.:Ue: AC120V,AC230V, XVBC5.:Ue:AC120V,AC230V; IP65(安装在固定基座),
IP66(直接安装在基座单元); 型号解释请见附件

产品标准和技术要求

GB/T 14048.5-2017

认证模式

型式试验+获证后监督

上述产品符合 CQC11-462142-2019 认证规则的要求, 特发此证。

发证日期: 2020年08月25日 有效期至: 2024年11月12日
证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

经中国合格评定国家认可委员会认可 CNAS C001-P

主任: _____

陆楠



中国质量认证中心

中国·北京·南四环西路188号9区100070

<http://www.cqc.com.cn>

C 0372749



PRODUCT CERTIFICATE

CERTIFICATE NO.: CQC2003010304059246

NAME AND ADDRESS OF THE APPLICANT

Schneider Electric (China) Co. Ltd. Shanghai Branch
No. 669, Suide Road, Putuo District, Shanghai, China

NAME AND ADDRESS OF THE MANUFACTURER

Schneider Electric Industries SAS
35 Rue Joseph Monier 92500 Rueil-Malmaison, France

NAME AND ADDRESS OF THE FACTORY

PT. Schneider Electric Manufacturing Batam (V049531)
Jl Beringin Lot 4, Lot 208, Lot 1, Lot 15, Lot 16, DAN Lot 16A BIP Muka Kuning Kel.Muka Kuning Kec. Sungai
Beduk – Batam, Indonesia

PRODUCT NAME, MODEL AND SPECIFICATION

Indicator Light

XVB: Ui:250V; Uimp:4kV; XVBC3.:Ue:AC24-48V,48-230V, XVBC4.:Ue:AC24-48V,48-230V, XVBC2.:Ue:
AC120V,AC230V, XVBC5.:Ue:AC120V,AC230V; IP65(mounted on fixing base), IP66(mounted directly on base unit); See
the Appendix for type explanation

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB/T 14048.5-2017

TYPE OF CERTIFICATION SCHEMES

Type testing+Follow up factory inspection

This is to certify that the above mentioned product(s) complies with the requirements of certification
rules of CQC11-462142-2019 .

Valid from: Aug.25,2020

Valid until: Nov.12,2024

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing
certification body until the expiry date.

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

President: _____

Lu Mei



CHINA QUALITY CERTIFICATION CENTRE

Section 9, No.188, Nansihuan Xilu, Beijing 100070 P.R.China
<http://www.cqc.com.cn>

C 0372749



产品认证证书

附录

第 1 页 共 3 页

证书编号: CQC2003010304059246

纸号: 372749

型号解释:

白炽灯型号规格解释

	XVB I	C II	4 III	B IV	3 V
I-	产品系列号 XVB				
II-	外形				
III-	C- 镜片或底座 + 盖 为可层层叠加的信号灯 灯泡型式和信号型式 3 - 白炽灯, 恒定光 4 - 白炽灯, 闪烁光				
IV-	21- 底座 + 盖 + 垫圈 为标准型底部电缆插口 电源电压 (仅适用于闪烁型光) B- 24...48 V DC M- 48...230 V AC				
V-	镜片颜色 3- 绿色 4- 红色 5- 琥珀色 6- 蓝色 7- 透明 8- 黄色				

LED型和放电管型号规格解释

	XVB I	C II	5 III	B IV	3 V
I-	产品系列号 XVB				
II-	形状				
III-	C- 镜片或 底座 + 盖 为可层层叠加的信号灯 灯泡型式和信号型式或其它 2- 集成 LED 恒定光 5- 集成 LED 闪烁光				
IV-	21- 底座和盖+垫圈 为标准型底部电缆插口 07- 底座和垫圈 为闪烁光 电压 (仅适用于闪烁光) G- 120 V AC M- 230 V AC				
V-	镜片颜色 3- 绿色 4- 红色 5- 琥珀色 6- 蓝色 7- 透明 8- 黄色				

注: 此附录与证书同时使用时有效。

主任: 陆梅



中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>



产品认证证书

附 录

第 2 页 共 3 页

证书编号: CQC2003010304059246

纸 号: 372749

Description of the series Explanation about the model	Incandescent Pilot Light Models				
	XVB	C	4	B	3
	I	II	III	IV	V
I Series designation XVB					
II Shape C - Lens or base + cover for bank					
III Type of bulb and type of signal or other 3 - Incandescent bulb, steady light 4 - Flashing with incandescent bulb 21 - Base + cover + gasket with bottom or side cable entry for standard type					
IV Supply Voltage (for flashing type only) B - 24...48 VDC M - 48...230 VAC					
V Lens Color 3 - Green 4 - Red 5 - Amber 6 - Blue 7 - Clear 8 - Yellow					

注: 此附录与证书同时使用时有效。

主任: 陆梅



中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>



产品认证证书

附 录

第 3 页 共 3 页

证书编号: CQC2003010304059246

纸 号: 372749

Description of the series Explanation about the model	LED Cluster models and built-in strobe models				
	XVB	C	5	B	3
	I	II	III	IV	V
I Series designation XVB					
II Shape C - Lens or base + cover for bank					
III Type of bulb and type of signal or other 2 - Integrated LED (steady light) 5 - Integrated LED (flashing light) 21 - Base + cover + gasket with bottom or side cable entry for standard type 07 - Base and gasket for strobe type					
IV Supply Voltage (for flashing type only) G - 120 VAC M - 230 VAC					
V Lens Color 3 - Green 4 - Red 5 - Amber 6 - Blue 7 - Clear 8 - Yellow					

注: 此附录与证书同时使用时有效。

主任: 陆梅



中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>