

Interactive <u>Catalog</u>

Fibution, look to Hubbell.

## Catalog Home

# Product Datasheet ANDERSON FARGO

## **VHSS4 -- Versatile Splice**



Copper short barrel Versatile splice

	pecifi	

**Splice Type** 



VERSAtile™
Compression Splices
(For use with Die type
and VersaCrimp tools)

### **Versatile Compression Series**



VHSS Series Compression Splice VERSAtileTM Minimum Tension Copper Conductor

	Copper Conductor
PDF Catalog Page	Click HERE to view the web page.
Conventional Tooling Conductor Size Minimum	0.232 in
Conventional Tooling Conductor Size Maximum	0.232 in
VersaCrimp Conductor Size Minimum	0.232 in
VersaCrimp Conductor Size Maximum	0.232 in
Material	Copper
Conventional Tooling Minimum Conductor	.232 in
Conventional Tooling Maximum Conductor	.232 in
Conventional Tooling Conductor Size	336.4 kcmil Str.
VersaCrimp Conductor Range	#4 Str.

VersaCrimp Conductor Minimum	.232 in	
VersaCrimp Conductor Maximum	.232 in	
Dimension D	0.81 in (21 mm)	
Dimension L	1.75 in (44 mm)	
Length before Compression	1.75 in (44 mm)	
Compression Method	VersaCrimp or Conventional Die Tooling	
Die Size	VC6-350, VC6350SN	
UL Listed	Yes	
Inhibitor Loaded	No	
Color Code	Gray	
Material Type	Non-Standard	
UPC Code	09635933908	
Standard Package	50	
Standard Package Unit	Each	
Min Order Qty	50	
Weight / Ea.	0.02 lbs	

### **Notes**

For use with copper stranded conductor only.

#### **Features**

For use with VersaCrimp or conventional die type tooling.

### **Compressed Product Number**

VHSS4

Catalog Home



**Warranty Info** | **Trademarks** | **Terms of Use** 

All contents Copyright © 2007 Hubbell Power Systems, Inc. All rights reserved.

NOTE: Because Hubbell has a policy of continuous product improvement, we reserve the right to change design and specifications without notice.