



[Catalog Home](#)

Product Datasheet

ANDERSON FARGO

HSYC3090 -- Hot Line Link, Socket Y-Clevis



Hot Line Socket Y-Clevis, Ductile Iron, 0.750" Curved Bolt, UTS 30,000 lb; For use with ANSI class 52-3 & 52-5 insulators.

Product Specifications

Hardware Family



Hot-Line Links
Extension/ Working Links

Hot Line Links



HSYC Series
Hot-Line Socket Y-Clevis
Extension Links


PDF Catalog Page	Click HERE to view the web page.
Ultimate Strength	30,000 lb (13,608 kg)
Coupling Length	9.688 in (246.1 mm)
Coupling Orientation	Rotated
Dimension B	6.000 in (152.40 mm)
Dimension C	1.563 in (39.69 mm)
Material	Ductile Iron
Cotter Pin Material	Stainless Steel
Clevis Pin Material	Galvanized Steel
Material Type	Non-Standard
UPC Code	09635931690
Standard Package	15
Standard Package Unit	Each
Min Order Qty	1
Weight / Ea.	3.528 lbs

Notes

For use with ANSI class 52-3 & 52-5 insulators.

Compressed Product Number

HSYC3090



[Catalog Home](#)



[Warranty Info](#) | [Trademarks](#) | [Terms of Use](#)

All contents Copyright © 2007 Hubbell Power Systems, Inc. All rights reserved.

NOTE: Because Hubbell has a policy of continuous product improvement, we reserve the right to change design and specifications without notice.