



Color: Yellow

UPC Code: 07847784255

Country Of Origin: Mexico

NEMA:
6-20P



620PV

Brand Features

Leviton offers a large selection of 15, 20, 30 and 50 Amp Commercial Grade Straight Blade Plugs and Connectors, available in a wide variety of features. These rugged performers are moisture, chemical and abuse-resistant, And they're ideal for indoor and outdoor use. Our EPTR rubber-backed plugs and connectors stand up to rough use, protecting against dirt and moisture. The deep-slotted, backed-out terminal screws draw backwire clamps securely over stripped leads for maximum conductivity.

Item Description

20 Amp, 250 Volt, NEMA 6-20P, 2P, 3W, Plug, Straight Blade, Grounding - Yellow

Technical Information

Electrical Specifications

Amperage: 20 A

Current Interrupting: Certified for current interrupting at full rated current

Dielectric Voltage: Withstands 2000V per UL498

Grounding: Grounding

Pole: 2

Temperature Rise: Max 30C after 50 cycles OL at 150 percent rated current

Voltage: 250 VAC

Wire: 3

Environmental Specifications

Flammability: Rated V-2 per UL 94

Operating Temperature: -40°C to 60°C

Material Specifications

Assembly Screws: Steel, Zinc Plated

Blades/Contacts: Brass

Body Material: PVC

Color: Yellow

Mechanical Specifications

Cord Range: .245 - .655

Product ID: Ratings and NEMA I.D. permanently marked on device

Terminal Accom.: 18-12 AWG

Terminal ID: Brass-Hot, Green-Ground, Silver-Neutral

Product Features

Color: Yellow

Cord Range: .245 - .655

NEMA: 6-20P

Standards and Certifications

ANSI: C-73

CSA C22.2 No. 42: File LR-406

NEMA: WD-6

NOM: 057

UL498: File E13393

Warranty: 2-Year Limited



JOB NAME:	CATALOG NUMBERS:	
JOB NUMBER:		

Teléfono: +1-800-323-8920 · FAX: +1-800-832-9538 · Tech Line (8:30AM-7:30PM E.S.T. Monday-Friday): +1-800-824-3005

FAX: +1-800-824-3005 • www.leviton.com/canada

1797 • www.leviton.com.mx

© 2018 Leviton Manufacturing Co., Inc. Todos los derechos reservados. Subject to change without notice.

www.leviton.com/international/contacts/

