# Eaton UHS36140B1A1A1A

## Catalog Number: UHS36140B1A1A1A

Eaton Cooper Power series arrester, Poly housing, 29 kV, 36 kV, No line term wire, Sil BRZ nut SS wire clamp, Iso, Wire clamp with sil BRZ nut, Insulated hanger, No brkt, VariSTAR, HD

General specifications

#### General specificatio

Product Name Eaton Cooper Power series arrester UPC 194006067058 Product Height 18.9 in Product Weight

4.189 lb

Certifications IEEE C62.11 Catalog Number UHS36140B1A1A1A Product Length/Depth 7.5 in Product Width 3.5 in

Compliances Not Applicable





#### **Product specifications**

#### Material type

Polymer housing

#### Special features

Heavy-duty

## Ground terminal options Wire clamp with silicone bronze nut

Standard IEEE Standard C62.11-2005

#### Discharge voltage - max

91.5; 97.3; 102; 111; 123; 138 kV (@1.5; 3; 5; 10; 20; 40 kA)

Line stud and lead options No line terminal wire

Steep Current Residual Voltage (kV Crest) 120.8 kV

Duty cycle voltage rating 36 kV rms

Nominal Discharge Current 10 kA

Mounting Transformer mounted

Mounting bracket options

No additional mounting bracket

Туре

UltraSIL polymer-housed VariSTAR arrester

Frequency rating

50-60 Hz

Isolator options

Black isolator

Packaging options Individual carton (assembled terminal hardware)

Maximum continuous operating voltage 29 kV rms

Equivalent front-of-wave

123 kV

**Creep Distance** 

## Resources

Brochures

Ultrasil Polymer Housed Varistar IEEE Surge Arrester Catalog

## Specifications and datasheets Eaton Specification Sheet - UHS36140B1A1A1A

#### 39.1 in/993 mm

Voltage rating

36 kV

Application

Distribution

Line terminal accessories

Silicone bronze nut stainless steel wire clamp

Base/bracket configuration options

Insulated hanger

Hanger options

Insulated hanger

Nameplate options

Standard per IEEE C62.11



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2023 Eaton. All Righ Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2023 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia