

PVC-Coated Conduit Bodies and Fittings




Continuously threaded rod for use with conduit hangers and strut to suspend overhead conduit runs.

PVC-Coated All-Thread Rod

- All-thread steel rod coated with nominal .015" (15 mil) PVC in blue, white or gray with custom colors available on request
- Available in 1/4", 3/8" or 1/2" standard diameters and in 3-, 6- or 10-ft. standard lengths



PVC-Coated All-Thread Rod

Cat. No.	Diameter x Length	Color
THR3/8X3 - _		
_ = space for color identifier		
G = Gray		
W = White		
B = Blue		
Custom colors also available.		

Ocal® PVC-Coated Steel All-Thread Rod


CAT. NO.	TRADE SIZE	LENGTH
	IN. MM	FT. M
THR1/4X10- _	1/4 6.35	10.00 3.05
THR3/8X3- _	3/8 9.53	3.00 0.91
THR3/8X6- _	3/8 9.53	6.00 1.83
THR3/8X10- _	3/8 9.53	10.00 3.05
THR1/2X3- _	1/2 12.70	3.00 0.91
THR1/2X6- _	1/2 12.70	6.00 1.83
THR1/2X10- _	1/2 12.70	10.00 3.05

Designed for easy attachment of conduit to strut!


PVC-Coated Pipe Straps for Strut




Just twist-insert these pipe straps anywhere you need them along the slot side of a channel. For additional flexibility, you can position the straps as closely as your pipe couplings permit.

- Combination slot and hex head bolt for flexibility of attachment
- Captivated square nut on shoulder enables easy one-handed tightening
- Use with either 1 5/8" or 1 1/2" strut for greater versatility
- Shipped pre-assembled for easier counting, sorting and handling
- Available with nominal .015" (15 mil) PVC coating in your choice of blue, white or gray standard colors (custom colors also available on request)



PVC-Coated Pipe Strap



Cat. No.	Size	Color
SS1 - _		
_ = space for color identifier		
G = Gray		
W = White		
B = Blue		
Custom colors also available.		

Ocal® PVC-Coated Strut Pipe Straps

CAT. NO.	PIPE SIZE	METRIC SIZE DESIGNATOR*
	IN.	
SS1/2- _	1/2 16	
SS3/4- _	3/4 21	
SS1- _	1 27	
SS1-1/4- _	1 1/4 35	
SS1-1/2- _	1 1/2 41	
SS2- _	2 53	
SS2-1/2- _	2 1/2 63	
SS3- _	3 78	
SS3-1/2- _	3 1/2 91	
SS4- _	4 103	
SS5- _	5 129	


* Metric size designator (ANSI C80.1-1994).

PVC-Coated Conduit Bodies and Fittings






Corrosion-protected clamps for hanging threaded rod.

Ocal® PVC-Coated Hanger Rod Beam Clamps

- Malleable iron construction
- Nominal .015" (15 mil) PVC coating in blue, white, gray or custom colors
- 500, 502 and 503 also available uncoated in Type 316 stainless steel; add -SS316 to catalog number to order (for example: 502-SS316)



500-G
Hanger Rod Beam Clamp

Cat. No.	Color
500-	
_ = space for color identifier	
G = Gray	
W = White	
B = Blue	
Custom colors also available.	

CAT. NO.	BASE "A" IN. MM	BASE "B" IN. MM	JAW OPENING IN. MM	TAPPED HOLE IN. MM	LOAD RATING* LBS. KG
500- <u> </u>	1 25.40	1¼ 31.75	1⅝ 23.81	¼ - 20 6.35 - 20	450 204.12
501- <u> </u>	1½ 38.10	1¾ 41.28	¾ 22.23	1⅝ - 18 7.94 - 18	800 362.87
502- <u> </u>	2 50.80	2 50.80	1 25.40	¾ - 16 9.53 - 16	1300 589.67
503- <u> </u>	2¾ 66.68	2½ 63.50	1 25.40	½ - 13 12.70 - 13	1300 589.67
508- <u> </u>	2½ 63.50	2¾ 60.33	2¾ 53.98	½ - 13 12.70 - 13	1700 771.11

* Metric size designator (ANSI C80.1-1994).

† Load ratings based on bottom hole of beam clamp with safety factor of three.

CSA File No. LR-52208






Includes stainless steel bolt and nut for fast, easy installation.

Ocal® PVC-Coated Mini Conduit Hangers

- Nominal .015" (15 mil) PVC coating in blue, white, gray or custom colors
- Rated for loads of up to 500 lbs. (226.80kg) with a safety factor of three



MINE3/4-G
Mini Conduit Hanger

Cat. No.	Color
MINE1-	
_ = space for color identifier	
G = Gray	
W = White	
B = Blue	
Custom colors also available.	

CAT. NO.	PIPE SIZE IN. METRIC SIZE DESIGNATOR*
MINE1/2- <u> </u>	½ 16
MINE3/4- <u> </u>	¾ 21
MINE1- <u> </u>	1 27
MINE1-1/4- <u> </u>	1¼ 35
MINE1-1/2- <u> </u>	1½ 41
MINE2- <u> </u>	2 53
MINE2-1/2- <u> </u>	2½ 63
MINE3- <u> </u>	3 78
MINE3-1/2- <u> </u>	3½ 91
MINE4- <u> </u>	4 103

* Metric size designator (ANSI C80.1-1994).