



Product Datasheet


ANDERSON FARGO

HAS147C -- Suspension Clamp



Suspension Clamp, Aluminum, for use with conductors 1 - 1.47 with fitting: Clevis


Product Specifications

Series	 <p>HAS series Standard Voltage Aluminum</p>
PDF Catalog Page	Click HERE to view the web page.
Fitting	Clevis
Clamp Material	Aluminum
Fitting Catalog No.	CA-13
Ultimate Body Strength	25,000 lbs (11,340 kgs)
Maximum Take-off Angle 0	22.5
Dimension H	3.13 in (79.4 mm)
Dimension J	0.500 in (12.7 mm)
Dimension L	9.19 in (233 mm)
Dimension W	1.56 in (39.7 mm)
Hardware Material	Galvanized Steel
Minimum - Maximum Conductor Size	AAC 795 kcmil (37) Thru AAC 700 kcmil (61) w/Armor Rods AAAC 927.2 kcmil str (37) Thru AAAC 652.8 kcmil str (19) w/Armor Rods ACSR 666.6 kcmil (24/7) Thru ACSR 605.0 kcmil (26/7) w/Armor Rods ACAR 853.7 kcmil (30/7) Thru ACAR 653.1 kcmil (12/7) w
Clamping Range	1.00 - 1.47 in (25.40 - 37.34 mm)
Voltage Application	Standard
Material Type	Non-Standard

UPC Code	09635935129
Standard Package	1
Standard Package Unit	Each
Min Order Qty	1
Weight / Ea.	5.194 lbs

Compressed Product Number

HAS147C



[Catalog Home](#)



[Warranty Info](#) | [Trademarks](#) | [Terms of Use](#)

All contents Copyright © 2007 Hubbell Power Systems, Inc. All rights reserved.

NOTE: Because Hubbell has a policy of continuous product improvement, we reserve the right to change design and specifications without notice.