

## PRODUCT SPECIFICATIONS / INFO

LEVITON



**Color:** Red



**NEMA:** 5-20R



### 8300-PLR

**UPC Code:** 07847710908

**Country of Origin:** Mexico - *\*Eligible for ARRA funded projects > \$7,443,000*

#### Description

20 Amp, 125 Volt, NEMA 5-20R, 2P, 3W, Power Indication, Extra Heavy Duty Hospital Grade, Duplex Receptacle, Straight Blade, Self Grounding, Back & Side Wired, Nickel Plated Brass Strap, - RED

#### Product Features

Grounding: Self Grounding

NEMA: 5-20R

Termination: Back & Side 8 Hole Feed-Thru

Color: Red

Strap Material: Brass

Warranty: 10 Year Limited



*\*Disclaimer*


AC Horsepower Ratings	
Horsepower Rating	1 HP
Environmental Specifications	
Flammability	Rated V-2 per UL94
Operating Temperature	-40C to 60C
Mechanical Specifications	
Terminal ID	Brass-Hot, Green-Ground, White-Neutral
Product ID	Ratings are permanently marked on device
Terminal ID	Brass-Hot, Green-Ground, Silver-Neutral
Terminal Accom.	14-10 AWG
Product ID	Markings are permanently marked on device
Torque Range	14-16 inch pounds

Electrical Specifications	
Amperage	20 Amp
Voltage	125 Volt
NEMA	5-20R
Pole	2
Wire	3
Grounding	Self-Grounding
Dielectric Voltage	Withstands 2000V per UL498
Current Limiting	Full Rated Current
Temperature Rise	Max 30C after 250 cycles OL at 200 percent rated current


Material Specifications	
Line Contacts	Nickel-Plated Brass Triple-Wipe .031 Thick
Terminal Screws	Nickel-Plated Brass 10-32
Grounding Screw	Nickel-Plated Brass 8-32
Yoke	Nickel-Plated Brass
Clamp Nuts	Nickel-Plated Brass
Body Material	Nylon
Face Material	Nylon
Strap Material	Nickel-Plated Brass
Line Contacts	Nickel-Plated Brass Triple-Wipe .040 Thick
Terminal Screws	Plated Brass
Grounding Screw	Plated Brass
Ground Clips	Nickel-Plated Brass
Clamp Nuts	Zinc-Plated Steel
Color	Red

Standards and Certifications	
NEMA	WD-6
ANSI	C-73
UL498HG	File E13399
UL Fed Spec WC-596	File E13399
CSA C22.2 No. 42	File 152105
NOM	057
Warranty	10-Year Limited
RoHS	Non-Compliant

## Dimensional Diagram



## Wiring Diagram



5-20R

## SPECIFICATION SUBMITTAL

JOB NAME:	CATALOG NUMBERS:	
JOB NUMBER:		

**Leviton Manufacturing Co., Inc.**

201 North Service Road, Melville, NY 11747

Telephone: 1-800-323-8920 · FAX: 1-800-832-9538 · Tech Line (8:30AM-7:30PM E.S.T. Monday-Friday): 1-800-824-3005

**Leviton Manufacturing of Canada, Ltd.**

165 Hymus Boulevard, Pointe Claire, Quebec H9R 1E9 · Telephone: 1-800-469-7890 ·

FAX: 1-800-824-3005 · [www.leviton.com/canada](http://www.leviton.com/canada)

**Leviton S. de R.L. de C.V.**

Lago Tana 43, Mexico DF, Mexico CP 11290 · Tel.: (+52)55-5082-1040 · FAX: (+52)5386-1797 ·

[www.leviton.com.mx](http://www.leviton.com.mx)

**Visit our Website at: [www.leviton.com](http://www.leviton.com)**

© 2007-2018 Leviton Manufacturing Co., Inc. All rights reserved. Subject to change without notice.

**Leviton has a global presence.**

If you would like to know where your local Leviton office is located please go to:

[www.leviton.com/international/contacts/](http://www.leviton.com/international/contacts/)

*\*Buy American Compliant Logo -- The American Recovery And Reinvestment Act of 2009 ("ARRA") provides federal grants and loans for projects throughout the country. Section 1605 of the Act, named the "Buy American" provision, requires that certain materials and manufactured products used in projects funded by the Act be manufactured in the United States. The appearance of the Recovery Act Logo in relation to a Leviton product is only intended to reflect that such product may be used in an ARRA funded project. It does not mean that such product or Leviton is sponsored or endorsed by, or that Leviton receives funds from, the federal government or the Recovery Accountability and Transparency Board. Nothing in Leviton's use of the logo is intended to suggest anything regarding the requirements for funding under ARRA.*