



**POWER  
SYSTEMS, INC.**

*In the world of power transmission and distribution, look to Hubbell.*


**Interactive  
eCatalog**

[Catalog Home](#)

**Product Datasheet**

**ANDERSON FARGO**

**SEDA7929 -- Compression Deadend**



Compression Deadend, Conventional 2-Die, Single Tongue, for ACSR 4/0 AWG 6/1, With Terminal

**Product Specifications**

**Category Image**



**Compression  
Deadend  
Assemblies**

Aluminum

Conventional (two die)

AAC, ACSR, & ACSS  
Conductor

**Series Image (Comp Assy)**



	<a href="#">Click HERE to view the web page.</a>
<b>Terminal Option</b>	With
<b>Style</b>	Conventional 2-Die, Single Tongue
<b>Outside Diameter</b>	0.563 in
<b>Type</b>	Compression
<b>Material</b>	Aluminum/Steel
<b>Compression Method</b>	Conventional (2 die system)
<b>Aluminum Die</b>	75AH
<b>Steel Die</b>	75SH
<b>Minimum Press (Tons)</b>	12
<b>Voltage Application</b>	Std
<b>Inhibitor Loaded</b>	No
<b>Body Material</b>	Seamless Extruded Aluminum Alloy
<b>Eye Material</b>	Galvanized Forged Steel
<b>Terminal Material</b>	Seamless Extruded Aluminum Alloy
<b>Hardware Material</b>	Aluminum Alloy
<b>Length before Compression</b>	12.7 in (323 mm)
<b>Dimension A</b>	2.5 in (63 mm)
<b>Dimension B</b>	1.0 in (25 mm)
<b>Dimension C</b>	0.49 in (12.4 mm)
<b>Pad Width</b>	2.0 in (51 mm)
<b>Bolt Holes</b>	2
<b>Conductor Range Minimum - Maximum</b>	ACSR 4/0 AWG (6/1) Penguin
<b>Weight / Ea.</b>	2.28 lbs
<b>Standard Package</b>	1

#### Notes

To specify double-tongue deadend, change first character of Catalog Number from S to D.

#### Compressed Product Number

SEDA7929



## Dimensions

[Catalog Home](#)



[Warranty Info](#) | [Trademarks](#) | [Terms of Use](#)

*All contents Copyright © 2007 Hubbell Power Systems, Inc. All rights reserved.*

NOTE: Because Hubbell has a policy of continuous product improvement, we reserve the right to change design and specifications without notice.