

# Eaton NON-1/2

Catalog Number: NON-1/2

Eaton Bussmann series NON fuse, Non current limiting, Light duty circuit locations, 0.5 A, Non-indicating, Ferrule end x ferrule end, 50 kAIC at 125 Vdc|50 kAIC at 250 Vac, Standard, 10, 250 V, 125 Vdc

## General specifications



Product Name	Catalog Number
Eaton Bussmann series NON fuse	NON-1/2
UPC	EAN
051712300131	5027590453608
Product Length/Depth	Product Height
0.56 in	2 in
Product Width	Product Weight
0.56 in	0.35 lb
Warranty	Compliances
Not Applicable	CE Marked

## Electrical rating

### Amperage Rating

0.5 A

### Interrupt rating

50 kAIC at 250 Vac

50 kAIC at 125 Vdc

### Voltage rating

250 Vac, 125 Vdc

## Physical details

### Packaging type

Standard

## General information

### Class

Class H

### Connection

Ferrule end x ferrule end

### Fuse indicator

Non-indicating

### Quantity

10

### Special features

Non current limiting

## Resources

### Catalogs

Bussmann series complete full line catalog no. 1007

### Multimedia

Bussmann series Fuseology

### Specifications and datasheets

Eaton Specification Sheet - NON-1/2

### Technical data sheets

NON-1/2~NON-1-2~BUSS ONE TIME FUSE



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are  
property of their respective  
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)