# Product data sheet Characteristics

# **HOM215** MINIATURE CIRCUIT BREAKER 120/240V 15A

Product availability: Stock - Normally stocked in distribution facility





Price\*: 60.00 USD



#### Main

Man		
Product or component type	Miniature circuit-breaker	
Range of product	Homeline	
Line Rated Current	15 A	
Product certifications	UL listed	
System Voltage	120/240 V AC	
Mounting mode	Plug-in	
Poles description	2P	
Short-circuit current	10 kA	
Number of spaces required	2	
Circuit breaker type	Standard	
Circuit breaker application	HACR rated	-
Electrical connection	Clamp terminal for 2 cables	7
AWG gauge	AWG 14AWG 8 for 1 cable(s) (aluminium/copper) AWG 14AWG 10 for 2 cable(s) (copper)	
-		

### Ordering and shipping details

© 15 miles		
Statement of the last of the l		
Main		
Product or component type	Miniature circuit-breaker	
Range of product	Homeline	
Line Rated Current	15 A	
Product certifications	UL listed	
System Voltage	120/240 V AC	
Mounting mode	Plug-in	
Poles description	2P	
Short-circuit current	10 kA	
Number of spaces required	2	
Circuit breaker type	Standard	
Circuit breaker application	HACR rated	
Electrical connection	Clamp terminal for 2 cables	
AWG gauge	AWG 14AWG 8 for 1 cable(s) (aluminium/copper) AWG 14AWG 10 for 2 cable(s) (copper)	
Ordering and shipping details		
Category	00046 - HOM/T 15-30A 1P; 15-60A 2P	
Discount Schedule	DE3D	
GTIN	00785901065265	
Nbr. of units in pkg.	5	
Package weight(Lbs)	0.670000000000004	
Returnability	Υ	
Country of origin	MX	
Offer Sustainability		
Sustainable offer status	Green Premium product	
RoHS (date code: YYWW)	Compliant - since 1323 - Schneider Electric declaration of conformity	
lum 12, 2017		

### Offer Sustainability

Sustainable offer status	Green Premium product
RoHS (date code: YYWW)	Compliant - since 1323 - Schneider Electric declaration of conformity

## Schneider Electric declaration of conformity

REACh	Reference not containing SVHC above the threshold
	Reference not containing SVHC above the threshold
Product environmental profile	Available
Product end of life instructions	Need no specific recycling operations

Warranty period Lifetime	