

D321NRB

Safety switch, general duty, fusible, 30A, 3 poles, 7.5 hp, 240 VAC, NEMA 3R, bolt-on provision, neutral factory installed



Main

| | |
|------------------------------|---|
| Product | Single Throw Safety Switch |
| Current Rating | 30 A |
| Certifications | UL listed file E2875 |
| Enclosure Rating | NEMA 3R |
| Disconnect Type | Fusible disconnect switch |
| Factory Installed Neutral | Neutral (factory installed) |
| Short Circuit Current Rating | 100 kA maximum depending on fuse H, K or R |
| Mounting Type | Surface |
| Number of Poles | 3 |
| Electrical Connection | Lugs |
| Duty Rating | General duty |
| Voltage Rating | 240 V AC |
| Wire Size | AWG 14...AWG 6 copper AWG 12...AWG 6 aluminium |

Complementary

| | |
|----------------------------|--|
| Maximum Horse Power Rating | 1.5 Hp 240 V AC 60 Hz 1 phase NEC 240.6 3 Hp 240 V AC 60 Hz 3 phase NEC 240.6 3 Hp 240 V AC 60 Hz 1 phase NEC 430.52 7.5 hp 240 V AC 60 Hz 3 phase NEC 430.52 |
| Tightening torque | 30 lbf.in (3.39 N.m) 0.00...0.02 in ² (2.08...13.3 mm ²) AWG 14...AWG 6) |
| Height | 9.63 in (244.60 mm) |
| Width | 7.75 in (196.85 mm) |
| Maximum Depth | 3.75 in (95.25 mm) |

Ordering and shipping details

| | |
|-----------------------|-----------------------------------|
| Category | 00106 - D & DU SW,NEMA3R, 30-200A |
| Discount Schedule | DE1A |
| GTIN | 00785901461067 |
| Nbr. of units in pkg. | 1 |
| Package weight(Lbs) | 4.9 lb(US) (2.22 kg) |
| Returnability | Yes |
| Country of origin | MX |

Packing Units

| | |
|------------------------------|--------------------------|
| Unit Type of Package 1 | PCE |
| Package 1 Height | 5.20 in (13.208 cm) |
| Package 1 width | 7.80 in (19.812 cm) |
| Package 1 Length | 10.00 in (25.4 cm) |
| Unit Type of Package 2 | CAR |
| Number of Units in Package 2 | 5 |
| Package 2 Weight | 26.15 lb(US) (11.861 kg) |
| Package 2 Height | 10.80 in (27.432 cm) |
| Package 2 width | 10.40 in (26.416 cm) |
| Package 2 Length | 24.10 in (61.214 cm) |

| | |
|------------------------------|----------------------------|
| Unit Type of Package 3 | PAL |
| Number of Units in Package 3 | 120 |
| Package 3 Weight | 676.00 lb(US) (306.628 kg) |
| Package 3 Height | 37.00 in (93.98 cm) |
| Package 3 width | 40.00 in (101.6 cm) |
| Package 3 Length | 48.00 in (121.92 cm) |

Offer Sustainability

| | |
|----------------------------|---|
| Sustainable offer status | Green Premium product |
| California proposition 65 | WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |
| REACH Regulation | REACH Declaration |
| REACH free of SVHC | Yes |
| EU RoHS Directive | Compliant EU RoHS Declaration |
| Mercury free | Yes |
| RoHS exemption information | Yes |
| China RoHS Regulation | China RoHS Declaration |
| Environmental Disclosure | Product Environmental Profile |
| PVC free | Yes |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

Approximate Dimensions

