



**POWER
SYSTEMS, INC.**

In the world of power transmission and distribution, look to Hubbell.

**Interactive
eCatalog**

[Catalog Home](#)

Product Datasheet

ANDERSON FARGO

HSYC50 -- Hot Line Link, Socket Y-Clevis



Hot Line Socket Y-Clevis, Ductile Iron, 0.875" Curved Bolt, UTS 50,000 lb; For use with ANSI class 52-8 & 52-11 insulators.

Product Specifications

Hardware Family



Hot-Line Links
Extension/ Working Links

Hot Line Links



HSYC Series

Hot-Line Socket Y-Clevis
Extension Links

PDF Catalog Page

[Click HERE to view the web page.](#)

Ultimate Strength

50,000 lb (22,680 kg)

Coupling Length

10.31 in (261.9 mm)

Dimension B

5.906 in (150.02 mm)

Dimension C

1.625 in (41.28 mm)

Material

Ductile Iron

Cotter Pin Material

Stainless Steel

Clevis Pin Material

Galvanized Steel

Material Type

Non-Standard

UPC Code

09635931691

Standard Package

5

Standard Package Unit

Each

Min Order Qty

1

Weight / Ea.


7.35 lbs

Notes

For use with ANSI class 52-8 & 52-11 insulators.

Compressed Product Number

HSYC50



HSYC - 50

[Catalog Home](#)



[Warranty Info](#) | [Trademarks](#) | [Terms of Use](#)

All contents Copyright © 2007 Hubbell Power Systems, Inc. All rights reserved.

NOTE: Because Hubbell has a policy of continuous product improvement, we reserve the right to change design and specifications without notice.