

SAFETY DATA SHEET

1. Identification

Product identifier	Bar and Chain Lubricant
Other means of identification	
Product code	SL2612
Recommended use	Bar and chain lubricant
Recommended restrictions	None known.
Manufacturer/Importer/Supplier	/Distributor information
Manufactured or sold by:	
Company name	CRC Industries, Inc.
Address	885 Louis Dr.
Telephone	Warminster, PA 18974 US
General Information	215-674-4300
Technical	800-521-3168
Assistance	
Customer Service 24-Hour Emergency	800-272-4620 800-424-9300 (US)
(CHEMTREC)	703-527-3887 (International)
Website	www.crcindustries.com
2. Hazard(s) identification	
Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	The mixture does not meet the criteria for classification.
Precautionary statement	
Prevention	Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of contents/container in accordance with local/regional/national regulations.
Hazard(s) not otherwise classified (HNOC)	None known.

3. Composition/information on ingredients

lixtures			
Chemical name	Common name and synonyms	CAS number	%
Distillates (petroleum), Hydrotreated Light Naphthenic		64742-53-6	50 - 60
Distillates (petroleum), solvent-dewaxed heavy paraffinic		64742-65-0	3 - 5

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. If inhalation of a large amount does occur, call a physician immediately.
Skin contact	Wash off with plenty of water. Remove and isolate contaminated clothing and shoes. Get medical attention if irritation develops and persists. Wash contaminated clothing before reuse.
Eye contact	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Drink 1 or 2 glasses of water. Do not induce vomiting without advice from poison control center. Never give anything by mouth to a victim who is unconscious or is having convulsions. Get medical attention if symptoms occur. If ingestion of a large amount does occur, call a poison control center immediately.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media	None known.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
Fire-fighting equipment/instructions	Cool containers exposed to heat with water spray and remove container, if no risk is involved.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.
7. Handling and storage	
Precautions for safe handling	Wear appropriate personal protective equipment. Avoid prolonged or repeated contact with skin. Avoid prolonged exposure. Use only in well-ventilated areas. When using, do not eat, drink or smoke. Wash contaminated clothing before reuse. Use appropriate container to avoid environmental contamination. For product usage instructions, please see the product label.
Conditions for onfo starses	Keen away from heat and acurace of ignition. Store in a seal, dry place out of direct auglight. Store

Conditions for safe storage, including any incompatibilities Keep away from heat and sources of ignition. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Keep container tightly closed. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

Components	for Air Contaminants (29 CFR 1910.1) Type	Value	Form
Distillates (petroleum), Hydrotreated Light Naphthenic (CAS 64742-53-6)	PEL	5 mg/m3	Mist.
		2000 mg/m3	
Distillator (naturale um)		500 ppm	Mint
Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0)	PEL	5 mg/m3	Mist.
		2000 mg/m3 500 ppm	
US. ACGIH Threshold Limi	t Values		
Components	Туре	Value	Form
Distillates (petroleum), Hydrotreated Light Naphthenic (CAS 64742-53-6)	TWA	5 mg/m3	Inhalable fraction.
Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0)	TWA	5 mg/m3	Inhalable fraction.
US. NIOSH: Pocket Guide t	o Chemical Hazards		_
Components	Туре	Value	Form
Distillates (petroleum), Hydrotreated Light Naphthenic (CAS 64742-53-6)	Ceiling	1800 mg/m3	
,	STEL	10 mg/m3	Mist.
Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS 64742-65-0)	Ceiling	1800 mg/m3	
	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
logical limit values	No biological exposure limits noted for	or the ingredient(s).	
propriate engineering trols	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
ividual protection measures	, such as personal protective equipm	ent	
Eye/face protection	Wear safety glasses with side shields	s (or goggles).	
Skin protection			
Hand protection	Wear protective gloves such as: Nitril	e.	
Other	Wear suitable protective clothing.		
Respiratory protection	If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to determine actual employee exposure levels.		
Thermal hazards	Wear appropriate thermal protective of	clothing, when necessary.	
neral hygiene siderations	Always observe good personal hygien and before eating, drinking, and/or sn equipment to remove contaminants.		

9. Physical and chemical properties

Appearance

Physical state	
----------------	--

Liquid.

Form	Liquid.
Color	Red.
Odor	Mild petroleum.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	-0.004 °F (-17.8 °C)
Initial boiling point and boiling range	680 °F (360 °C) estimated
Flash point	325 °F (162.8 °C) Cleveland Open Cup
Evaporation rate	Very slow.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	> 1 (air = 1)
Relative density	0.89 - 0.92
Solubility (water)	Insoluble.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	500 °F (260 °C) estimated
Decomposition temperature	Not available.
Viscosity (kinematic)	74 - 98 mm²/s (104 °F (40 °C))
Percent volatile	Not available.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure	
Inhalation	Prolonged inhalation may be harmful.
Skin contact	Prolonged skin contact may cause temporary irritation.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Can cause stomach ache and vomiting.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.
Information on toxicological effe	ects
Acute toxicity	Not available.

Product	Species	Test Results
Bar and Chain Lubricant		
<u>Acute</u>		
Dermal		
LD50	Rabbit	8621 mg/kg estimated
Inhalation		
LC50	Rat	3964 mg/m ³ , 4 hours estimated
Oral		
LD50	Rat	8621 mg/kg estimated
* Estimates for product may b	e based on additional component data not s	
Skin corrosion/irritation	Prolonged skin contact may cause tempor	-
Serious eye damage/eye irritation	Direct contact with eyes may cause tempo	prary irritation.
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skir	n sensitization.
Germ cell mutagenicity	No data available to indicate product or ar mutagenic or genotoxic.	ny components present at greater than 0.1% are
Carcinogenicity	This product is not considered to be a car	cinogen by IARC, ACGIH, NTP, or OSHA.
IARC Monographs. Overall	Evaluation of Carcinogenicity	
Not available.	ogram (NTP) Report on Carcinogens	
Not available.		
Reproductive toxicity	This product is not expected to cause repr	roductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Based on available data, the classification	n criteria are not met.
Chronic effects	Prolonged inhalation may be harmful.	
Further information	This product has no known adverse effect	on human health.
12. Ecological information	1	
Ecotoxicity	The product is not classified as environme	entally hazardous. However, this does not exclude the have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the degradability of	
Bioaccumulative potential	No data available.	
Mobility in soil	No data available.	
Other adverse effects		e.g. ozone depletion, photochemical ozone creation ming potential) are expected from this component.
13. Disposal consideratio	ns	
Disposal of waste from	This product is not a RCRA hazardous wa	aste (See 40 CFR Part 261.20 – 261.33). Empty
residues / unused products	containers may be recycled. Collect and reclaim or dispose in sealed containers at licensed was disposal site. Dispose in accordance with all applicable regulations.	
Hazardous waste code	Not regulated.	
Contaminated packaging		pproved waste handling site for recycling or disposal. uct residue, follow label warnings even after container is
14. Transport information		
DOT		
Not regulated as dangerous g	oods.	
ΙΑΤΑ		

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

S federal regulations	This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
TSCA Section 12(b) Export	Notification (40 CFR 707, Subpt. D)
Not regulated. US. OSHA Specifically Reg	ulated Substances (29 CFR 1910.1001-1050)
Not listed.	
SARA 304 Emergency relea	ase notification
	Section 313 - Toxic Chemical: Listed substance
Not listed.	
CERCLA Hazardous Subst	ance List (40 CFR 302.4)
Not listed. CERCLA Hazardous Subst	ances: Reportable quantity
Not listed.	
Response Center (800-4	ng in the loss of any ingredient at or above its RQ require immediate notification to the National 24-8802) and to your Local Emergency Planning Committee.
Clean Air Act (CAA) Sectio	n 112 Hazardous Air Pollutants (HAPs) List
Not regulated. Clean Air Act (CAA) Sectio	n 112(r) Accidental Release Prevention (40 CFR 68.130)
Not regulated.	
Safe Drinking Water Act (SDWA)	Not regulated.
Food and Drug Administration (FDA)	Not regulated.
Superfund Amendments ar	nd Reauthorization Act of 1986 (SARA)
Section 311/312 Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No
SARA 302 Extremely hazardous substance	No
S state regulations	
US. California. Candidate C (a))	Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, sub
Distillates (petroleum), s	lydrotreated Light Naphthenic (CAS 64742-53-6) olvent-dewaxed heavy paraffinic (CAS 64742-65-0) ubstances. CA Department of Justice (California Health and Safety Code Section 11100)
Not listed.	
•	d Community Right-to-Know Act
	lydrotreated Light Naphthenic (CAS 64742-53-6) olvent-dewaxed heavy paraffinic (CAS 64742-65-0)
Distillates (petroleum), H	lydrotreated Light Naphthenic (CAS 64742-53-6) and Community Right-to-Know Law
Not listed.	
US. Rhode Island RTK None.	
US. California Proposition California Safe Drinking	65 Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain

_

۷

Volatile organic compounds (VC	DC) regulations	
EPA		
VOC content (40 CFR 51.100(s))	Not determined	
Consumer products (40 CFR 59, Subpt. C)	Not regulated	
State		
Consumer products	This product is regulated as a Gear, Chain or Wire Lubricant (non-aerosol). This product is compliant for use in all 50 states.	
VOC content (CA)	< 0.1 %	
VOC content (OTC)	< 0.1 %	
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
** ***	· · · · · · · · · · · · · · · · · · ·	

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	08-21-2015	
Prepared by	Allison Cho	
Version #	01	
Further information	Not available.	
HMIS® ratings	Health: 1 Flammability: 1 Physical hazard: 0 Personal protection: B	
NFPA ratings	Health: 1 Flammability: 1 Instability: 0	
NFPA ratings		
Disclaimer	The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is	

accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries.