



[Catalog Home](#)

**Product Datasheet**

**ANDERSON FARGO**

**SEDA4121NT -- Compression Deadend**



Compression Deadend, Conventional 2-Die, Single Tongue, for ACSR 954.0 kcmil 54/7, Without Terminal

**Product Specifications**

Category Image




**Compression  
Deadend  
Assemblies**

Aluminum

Conventional (two die)

AAC, ACSR, & ACSS  
Conductor

Series Image (Comp Assy)




	<a href="#">Click HERE to view the web page.</a>
<b>Terminal Option</b>	Without
<b>Style</b>	Conventional 2-Die, Single Tongue
<b>Outside Diameter</b>	1.196 in
<b>Type</b>	Compression
<b>Material</b>	Aluminum/Steel
<b>Compression Method</b>	Conventional (2 die system)
<b>Aluminum Die</b>	30AH
<b>Steel Die</b>	14SH
<b>Minimum Press (Tons)</b>	60
<b>Voltage Application</b>	EHV & Std
<b>Inhibitor Loaded</b>	No
<b>Body Material</b>	Seamless Extruded Aluminum Alloy
<b>Eye Material</b>	Galvanized Forged Steel
<b>Hardware Material</b>	Aluminum Alloy
<b>Length before Compression</b>	19.3 in (490 mm)
<b>Dimension A</b>	2.62 in (66.5 mm)
<b>Dimension B</b>	1.24 in (31.5 mm)
<b>Dimension C</b>	0.67 in (17.0 mm)
<b>Pad Width</b>	3.0 in (76 mm)
<b>Bolt Holes</b>	4
<b>Conductor Range Minimum - Maximum</b>	ACSR 954.0 kcmil (54/7) Cardinal
<b>Standard Package</b>	1

### Notes

To specify double-tongue deadend, change first character of Catalog Number from S to D.

### Compressed Product Number

SEDA4121NT



Dimensions



[Warranty Info](#) | [Trademarks](#) | [Terms of Use](#)

*All contents Copyright © 2007 Hubbell Power Systems, Inc. All rights reserved.*

NOTE: Because Hubbell has a policy of continuous product improvement, we reserve the right to change design and specifications without notice.