

Eaton DH223NWK

Catalog Number: DH223NWK

Eaton Heavy duty single-throw fused safety switch, Corrosion resistant, enhanced visible blade, 100 A, NEMA 4X, Neutral, Two-pole, Three-wire, 240 V, Max Hp: 7.5, 15 hp/15, 30 hp/20 hp (1,3PH @ Std fuse/time delay/250 Vdc), #14-#1/0 Cu/Al



General specifications

Product Name	Catalog Number
Eaton heavy duty fusible safety switch	DH223NWK
UPC	Product Length/Depth
782113206301	25.5 in
Product Height	Product Width
9 in	13.25 in
Product Weight	Warranty
28 lb	Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.
Certifications	Catalog Notes
UL Listed	3-Phase hp ratings shown are grounded B phase ratings; UL listed

defaultTaxonomyAttributeLabel

Type

Heavy duty fusible safety switch

Amperage Rating

100A

Number Of Poles

Two-pole

Product Category

Heavy Duty, Fusible with neutral

Voltage rating

240V

HP rating - max

7.5, 15 hp/15, 30 hp/20 hp (1,3PH @ Std fuse/time delay/250 Vdc)

Enclosure

NEMA 4X

Enclosure material

304 stainless steel

Fuse class provision

Class H

Fuse configuration

Fusible with neutral

Number of wires

3

NEMA rating

NEMA 4X (Stainless)

Window

No Window

Receptacle type

None

Neutral

Included

Features

Corrosion resistant

Enhanced visible blade

Resources

Catalogs

[Eaton's Volume 2—Commercial Distribution](#)

Specifications and datasheets

[Eaton Specification Sheet - DH223NWK](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)