

# Eaton CH42L225R

Catalog Number: CH42L225R

Eaton CH main lug loadcenters, Standard, Main lug only, 225A, G, Copper, NEMA 3R, Metallic, Overhead, CH, 42, 42, Three-wire, Single-phase, 120/240 V, #4 AWG-300 kcmil



## General specifications

Product Name

Eaton CH main lug loadcenter

Catalog Number

CH42L225R

UPC

782113098357

Product Length/Depth

34.13 in

Product Height

5.19 in

Product Width

14.31 in

Product Weight

15 lb

Warranty

Limited lifetime

Certifications

UL 50

UL 67

Catalog Notes

Rainproof panels are furnished with hub closure plates. Suitable for use as a service equipment when a circuit breaker is used as a main breaker. The main breaker is backfed and requires hold-down bracket kit catalog number ch125rb.

## Product specifications

### Number of spaces

42

### Special features

Standard

### Phase

Single-phase

### Wire size

#4 AWG-300 kcmil

### Bus material

Copper

### Main circuit breaker

CH

### Enclosure

NEMA 3R

### Amperage Rating

225 A

### Enclosure material

Metallic

### Type

Main lug only

### Feed type

Overhead

### Number of wires

3

### Number of circuits

42

### Voltage rating

120/240 V

### Box size

G

## Resources

### Brochures

Type CH Circuit Breakers and Loadcenters

Loadcenters and Circuit Breakers

### Catalogs

Eaton's Volume 1—Residential and Light Commercial

### Drawings

Dimensional Drawing - CH 3/4 LOADCENTER, MAIN LUG ONLY,  
OUTDOOR NEMA 3R, 120/240 VAC, 1 PH

### Installation instructions

Cutler-Hammer Type CH and BR Loadcenters - Instructions

### Multimedia

AFCI Educational Video

### Specifications and datasheets

Eaton Specification Sheet - CH42L225R



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are  
property of their respective  
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)