

Eaton CH42B3225L

Catalog Number: CH42B3225L

Eaton CH main breaker loadcenter, Standard, Main breaker, 225 A, L, Copper, Ch8lf-combination, ch8ls-surface, not included, NEMA 1, Metallic, 10 kAIC, CC, 42 Circuits, 42 Spaces, Four-wire, Three-phase, #2/0 AWG-300 kcmil, Top/bottom



General specifications

Product Name	Catalog Number
Eaton CH main breaker loadcenter	CH42B3225L
UPC	Product Length/Depth
782113098302	39 in
Product Height	Product Width
3.88 in	14.31 in
Product Weight	Warranty
47.6 lb	Limited lifetime
Certifications	Catalog Notes
UL 50 UL 67	Furnished with hub closure plates.

defaultTaxonomyAttributeLabel

Special features

Standard

Type

Main breaker

Amperage Rating

225 A

Bus material

Copper

Cover

Ch8lf-combination, ch8ls-surface, not included

Main circuit breaker

CC

Number of circuits

42

Number of spaces

42

Phase

Three-phase

Wire size

#2/0 AWG-300 kcmil

Feed type

Top/bottom

Box size

L

Enclosure

NEMA 1

Enclosure material

Metallic

Interrupt rating

10 kAIC

Number of wires

4

Resources

Brochures

Type CH Circuit Breakers and Loadcenters

Loadcenters and Circuit Breakers

Catalogs

Eaton's Volume 1—Residential and Light Commercial

Drawings

Dimensional Drawing - CH 3/4 LOADCENTER, CC MAIN BREAKER, INDOOR NEMA 1, 120/240 VAC, 3 PHASE

Installation instructions

Cutler-Hammer Type CH and BR Loadcenters - Instructions

Multimedia

AFCI Educational Video

Specifications and datasheets

Eaton Specification Sheet - CH42B3225L



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)