Eaton CH16L200R

Catalog Number: CH16L200R

Eaton CH main lug loadcenters,Cover included,Main lug only,200A,D,Copper,NEMA 3R,Metallic,Overhead,CH,16,16,Threewire,Single-phase,120/240 V,#4 AWG-300 kcmil



General specifications

Product Name Eaton CH main lug loadcenter

UPC 782113097503

Product Height 5.19 in

Product Weight 15.8 lb

Certifications

UL 67 UL 50 Catalog Number CH16L200R

Product Length/Depth 16.75 in

Product Width 14.31 in

Warranty Limited lifetime

Catalog Notes

Rainproof panels are furnished with hub closure plates. Suitable for use as a service equipment when a circuit breaker is used as a main breaker. The main breaker is backfed and requires holddown bracket kit catalog number ch125rb.



Product specifications

Number of spaces

16

Special features

Cover included

Phase Single-phase

Wire size #4 AWG-300 kcmil

Bus material

Copper

Main circuit breaker

СН

Enclosure

NEMA 3R

Amperage Rating

200 A

Enclosure material

Metallic

Туре

Main lug only

Feed type

Overhead

Number of wires

3

Number of circuits

16

Voltage rating 120/240 V

Box size

D

Resources

Brochures

Type CH Circuit Breakers and Loadcenters

Loadcenters and Circuit Breakers

Catalogs Eaton's Volume 1—Residential and Light Commercial

Drawings

Dimensional Drawing - CH 3/4 LOADCENTER, MAIN LUG ONLY, OUTDOOR NEMA 3R, 120/240 VAC, 1 PH

Installation instructions

Cutler-Hammer Type CH and BR Loadcenters - Instructions

Multimedia AFCI Educational Video

Specifications and datasheets

Eaton Specification Sheet - CH16L200R



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2023 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia