Eaton UTRS502CCH

Catalog Number: UTRS502CCH

Eaton meter socket, 1-pos resi service, 150A, Over, 3-5/16 inch hub cover plate, #8-250 kcmil, 4-jaw, 1-ph, #8-250 kcmil, Gnd conn (#14-#2 Cu), Triplex, 3-wire, Ringless, 600 Vac

General specifications



Eaton meter socket

UPC

782113729732

Product Height

14 in

Product Weight

Certifications

UL Listed

17 lb

Catalog Number

UTRS502CCH

Product Length/Depth

4.36 in

Product Width

8 in

Warranty

Eaton Selling Policy 25-000, one (1) year

from the date of installation of the

Product or eighteen (18) months from the

date of shipment of the Product,

whichever occurs first.

Catalog Notes

Iowa, Rural approved





defaultTaxonomyAttributeLabel

Type

Single-position residential service

Amperage Rating

150A

Feed type

Overhead

Number of jaws

Four-jaw

Phase

Single-phase

Utility approvals

ME: Central Maine Power

Line

#8-250 kcmil

Load

#8-250 kcmil

Number of wires

Three-wire

Hub type

3-5/16 in hub cover plate

Security

Ringless

Voltage rating

600 V

Number of sockets

1

Resources

Brochures

Single Meter Sockets

Catalogs

Eaton's Volume 1—Residential and Light Commercial

Drawings

Dimensional Drawing - SKT 150A 1P HCP

Specifications and datasheets

Eaton Specification Sheet - UTRS502CCH



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia