Eaton UTTH7330TCH

Catalog Number: UTTH7330TCH

Eaton meter socket, 1-pos commercial or resi service, 320A, Over/under, 5x5 inch hub open, 3/8 inch stud, 7-jaw, 1-ph, 3/8 inch stud, Lever bypass, Two grounding conns (#14-#2 Cu), Quadplex, 3-wire, Ringless, 600 Vac

General specifications



Photo is representative

Product Name Catalog Number
Eaton meter socket UTTH7330TCH

UPC Product Length/Depth

782113959191 6.5 in

Product Height Product Width

39.89 in 20 in

Product Weight Warranty

45 lb Eaton Selling Policy 25-000, one (1) year

from the date of installation of the

Product or eighteen (18) months from the

date of shipment of the Product,

whichever occurs first.

Catalog Notes

Certifications

UL Listed Iowa approved



defaultTaxonomyAttributeLabel

Type

Single-position commercial or residential service

Amperage Rating

320A

Feed type

Top/bottom

Number of jaws

Seven-jaw

Phase

Single-phase

Line

3/8 in stud

Load

3/8 in stud

Number of wires

Three-wire

Hub type

5 x 5 hub in opening

Security

Ringless

Voltage rating

600 V

Bypass

Lever

Number of sockets

1

Resources

Brochures

Single Meter Sockets

Catalogs

Eaton's Volume 1—Residential and Light Commercial

Specifications and datasheets

Eaton Specification Sheet - UTTH7330TCH



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia