Eaton LP-CC-7-1/2

Catalog Number: LP-CC-7-1/2

Eaton Bussmann series LP-CC fuse, Current-limiting time-delay fuse, Rejection style, 7.5 A, Dual, CC, Non-indicating, Ferrule end x ferrule end, 12 sec at 200%, 200 kAIC at 600 V|20 kAIC at 150 Vdc, Melamine tube, 10

General specifications



Eaton Bussmann series LP-CC fuse

LP-CC-7-1/2

Catalog Number

UPC

051712180382

EAN

5027590447034

Product Length/Depth 0.41 in

Product Height
1.5 in

Product Width

Product Weight

0.41 in

0.15 lb

Warranty

Compliances
CE Marked

Not Applicable

RoHS Compliant





Product specifications

Fuse indicator

Non-indicating

Special features

Non-indicating, High in-rush current motor protection

Interrupt rating

20 kAIC at 150 Vdc 200 kAIC at 600 Vac

Number of elements

Dual

Connection

Ferrule end x ferrule end

Response time

12 sec at 200%

Quantity

10

Material

Melamine tube

Amperage Rating

7.5 A

Type

Current-limiting time-delay fuse

Class

Class CC

Voltage rating

600 Vac, 150 Vdc

Application

Specialized circuits and industrial control

Packaging type

Standard

Resources

Catalogs

LP-CC-7-1/2~LP-CC-7-1-2~LOW PEAK CC TIME DELAY

Bussmann series complete full line catalog no. 1007

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - LP-CC-7-1/2



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2023 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia