Eaton LP-CC-6/10

LOW-PEAK

LP-CC-6/10 600Vac 300Vdc

Catalog Number: LP-CC-6/10

Eaton Bussmann series LP-CC fuse, Current-limiting time-delay fuse, Rejection style, 0.6 A, Dual, CC, Non-indicating, Ferrule end x ferrule end, 12 sec at 200%, 20 kAIC at 150 Vdc|200 kAIC at 600 V, Melamine tube, 10, 600 V, 300 Vdc

General specifications



Eaton Bussmann series LP-CC fuse

UPC

051712180412

Product Height

0.41 in

Product Weight

0.15 lb

Compliances

CE Marked

RoHS Compliant

Catalog Number

LP-CC-6/10

Product Length/Depth

1.5 in

Product Width

0.41 in

Warranty

Not Applicable



Product specifications

Fuse indicator

Non-indicating

Special features

Non-indicating, High in-rush current motor protection

Interrupt rating

20 kAIC at 150 Vdc 200 kAIC at 600 Vac

Number of elements

Dual

Connection

Ferrule end x ferrule end

Response time

12 sec at 200%

Quantity

10

Material

Melamine tube

Amperage Rating

0.6 A

Type

Current-limiting time-delay fuse

Class

Class CC

Voltage rating

600 Vac, 300 Vdc

Application

Specialized circuits and industrial control

Packaging type

Standard

Resources

Catalogs

LP-CC-6/10~LP-CC-6-10~LOW PEAK CC TIME DELAY

Bussmann series complete full line catalog no. 1007

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - LP-CC-6/10



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2023 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia