

# Eaton JKS-3

Catalog Number: JKS-3

Eaton Bussmann series JKS fuse, Power panelboards, Machinery disconnects, 3 A, 1, Class J, Non-indicating, Ferrule end x ferrule end, 200 kAIC at 600 Vac, Standard, 10, 600 V

## General specifications



<b>Product Name</b>	<b>Catalog Number</b>
Eaton Bussmann series JKS fuse	JKS-3
<b>UPC</b>	<b>EAN</b>
051712630030	5027590445092
<b>Product Length/Depth</b>	<b>Product Height</b>
0.81 in	2.25 in
<b>Product Width</b>	<b>Product Weight</b>
0.81 in	1.15 lb
<b>Warranty</b>	<b>Compliances</b>
Not Applicable	CE Marked RoHS Compliant

## Electrical rating

### Amperage Rating

3 A

### Interrupt rating

200 kAIC at 600 Vac

### Voltage rating

600 V

## Physical details

### Number of elements

1

### Packaging type

Standard

## General information

### Class

Class J

### Connection

Ferrule end x ferrule end

### Fuse indicator

Non-indicating

### Quantity

10

## Resources

### Catalogs

[Bussmann series full line catalog 1007, section 01- low voltage branch circuit fuses](#)

[Bussmann series complete full line catalog no. 1007](#)

### Multimedia

[Bussmann series Fuseology](#)

### Specifications and datasheets

[Eaton Specification Sheet - JKS-3](#)

### Technical data sheets

[JKS-3-LIMITRON FAST ACTING FUSE CLASS J](#)

### Technical service bulletins

[Datasheet - FNQ-30](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)