Eaton JKS-25

Catalog Number: JKS-25

Eaton Bussmann series JKS fuse, Power panelboards, Machinery disconnects, 25 A, 1, Class J, Non-indicating, Ferrule end x ferrule end, 200 kAIC at 600 Vac, Standard, 10, 600 V

CHARTER CONTROL CONTRO

General specifications

Product Name

Eaton Bussmann series JKS fuse

UPC 051712630252

Product Height 0.81 in

Product Weight 1.15 lb

Compliances CE Marked RoHS Compliant Catalog Number JKS-25

Product Length/Depth 2.25 in

Product Width 0.81 in

Warranty Not Applicable



Electrical rating

Amperage Rating

25 A

Interrupt rating 200 kAIC at 600 Vac

Voltage rating

600 V

Physical details

Number of elements

1

Packaging type

Standard

General information

Class

Class J

Connection Ferrule end x ferrule end

Fuse indicator

Non-indicating

Quantity

10

Special features

Non-indicating

Resources

Catalogs

Bussmann series full line catalog 1007, section 01- low voltage branch circuit fuses

Bussmann series complete full line catalog no. 1007

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - JKS-25

Technical data sheets JKS-25~LIMITRON FAST ACTING FUSE CLASS J

Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2024 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia