

# Eaton BR816N200RF

Catalog Number: BR816N200RF

Eaton BR convertible loadcenter, Feed-through lug, Convertible main, 200 A, C3r, Aluminum, Cover included, NEMA 3R, Metallic, 25 kAIC, BWH, 16 Circuits, 8 Spaces, Three-wire, Single-phase, 120/240 V, Determined by circuit breaker installed

## General specifications



<b>Product Name</b>	<b>Catalog Number</b>
Eaton BR convertible loadcenter	BR816N200RF
<b>UPC</b>	<b>Product Length/Depth</b>
786676448451	5.19 in
<b>Product Height</b>	<b>Product Width</b>
25 in	14.31 in
<b>Product Weight</b>	<b>Warranty</b>
40 lb	10 year
<b>Certifications</b>	<b>Catalog Notes</b>
UL 50 UL 67	The maximum rating of the panel is the main breaker rating when used as service entrance equipment.

## Product specifications

### Number of spaces

8

### Special features

Feed-through lug

### Interrupt rating

25 kAIC

### Phase

Single-phase

### Wire size

Determined by circuit breaker installed

### Bus material

Aluminum

### Main circuit breaker

BWH

### Enclosure

NEMA 3R

### Amperage Rating

200 A

### Enclosure material

Metallic

### Type

Convertible main

### Cover

Cover included

### Number of wires

3

### Number of circuits

16

### Voltage rating

120/240 V

### Box size

C3R

## Resources

### Brochures

Loadcenters and Circuit Breakers

Type BR Arc Fault Circuit Breakers and Loadcenters

### Catalogs

Eaton's Volume 1—Residential and Light Commercial

### Drawings

Dimensional Drawing - BR 1 LOADCENTER, CSR CONVERTIBLE, OUTDOOR NEMA 3R, 120/240 VAC, 1 PHASE

### Installation instructions

Cutler-Hammer Type CH and BR Loadcenters - Instructions

### Specifications and datasheets

Eaton Specification Sheet - BR816N200RF



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)