Eaton URS10050A3A1A1A

Catalog Number: URS10050A3A1A1A

Eaton Cooper Power series arrester, Polymer, 10 kV, No line term wire, Sil BRZ nut, cap, yellow iso, Sil BRZ nut, SS clamp & captive washer, Insulated hanger, N0 brkt, VariSTAR, Riser pole

General specifications

Product Name

Eaton Cooper Power series arrester

UPC

194006069380

Product Height

8.9 in

Product Weight

4.189 lb

Certifications

IEEE C62.11

Catalog Number

URS10050A3A1A1A

Product Length/Depth

6 in

Product Width

3.6 in

Compliances

Not Applicable



Product specifications

Material type

Polymer housing

Special features

Riser pole

Ground terminal options

Wire clamp with silicone bronze nut

Standard

IEEE Standard C62.11-2005

Discharge voltage - max

23.2; 24.6; 25.7; 28.1; 31; 35 kV (@1.5; 3; 5; 10; 20; 40 kA)

Line stud and lead options

No line terminal wire

Duty cycle voltage rating

10 kV rms

Nominal Discharge Current

10 kA

Mounting

Transformer mounted

Mounting bracket options

No additional mounting bracket

Туре

UltraSIL polymer-housed VariSTAR arrester

Frequency rating

50-60 Hz

Isolator options

Yellow isolator

Packaging options

Individual carton (assembled terminal hardware)

Maximum continuous operating voltage

8.4 kV rms

Equivalent front-of-wave

31 kV

Creep Distance

13 in/330 mm

Voltage rating

Resources

Brochures

Ultrasil Polymer Housed Varistar IEEE Surge Arrester Catalog

Specifications and datasheets

Eaton Specification Sheet - URS10050A3A1A1A

Application

Distribution

Line terminal accessories

Silicone bronze nut, stainless steel wire clamp and universal wildlife protector

Base/bracket configuration options

Insulated hanger

Hanger options

Insulated hanger

Nameplate options

Standard per IEEE C62.11



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2023 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia