

Eaton L1530P

Catalog Number: L1530P

Eaton locking plug, #16-12 AWG, 30A, Industrial, 250V, Back wiring, Black, white, Ultra grip, L15-30, Three-pole, Four-wire, Nylon



General specifications

| | |
|--|--|
| Product Name | Catalog Number |
| Eaton Arrow Hart standard locking plug | L1530P |
| UPC | Product Length/Depth |
| 032664544897 | 2.04 in |
| Product Height | Product Width |
| 3.77 in | 2.04 in |
| Product Weight | Compliances |
| 0.24 lb | Federal Specifications Classification W-C375 |
| | RoHS Compliant |
| Certifications | |
| UL Listed | |
| NOM | |
| CSA certified | |

Product specifications

Special features

Severe duty locking connector

Color

Black

White

Face/body material

Thermoplastic

Wiring method

Back

Material

Thermoplastic

Allowable wire size

#16-12 AWG

Amperage Rating

30A

Number Of Poles

Three-pole

Contact material

Brass

Type

Locking plug

Device grade

Commercial

NEMA configuration

L15-30

Design type

Standard locking plug

Number of wires

4

Grounding

Operating temperature

-20 to 60 °C (-4 to 140 °F)

Voltage rating

3Ø 250 V

Cord diameter

0.25-0.69 in (6.4 mm-17.5 mm)

Resources

Brochures

[Wiring Devices Buyer's Guide](#)

Multimedia

[Arrow Hart - Connecting Safety to Reliability since 1890](#)

Specifications and datasheets

[Eaton Specification Sheet - L1530P](#)

Application

Industrial

Torque rating

20 lbf-inch



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)