

# Eaton L1530R

Catalog Number: L1530R

Eaton locking receptacle, #18-10 AWG, 30A, Industrial, 250V, Back wiring, Black, Single, L15-30, Three-pole, Four-wire, Glass-filled nylon



## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Arrow Hart locking receptacle	L1530R
<b>UPC</b>	<b>Product Length/Depth</b>
032664533105	6.5 in
<b>Product Height</b>	<b>Product Width</b>
1.5 in	3.5 in
<b>Product Weight</b>	<b>Compliances</b>
1.025 lb	Federal Specifications Classification W-C375
	RoHS Compliant
<b>Certifications</b>	
NOM	
UL Listed	
CSA certified	

## Product specifications

### Special features

Severe duty locking plug

### Color

Black

### Face/body material

Nylon

### Wiring method

Back

### Material

Nylon

### Allowable wire size

#18-10 AWG

### Amperage Rating

30A

### Number Of Poles

Three-pole

### Contact material

Brass

### Type

Locking receptacle

### Device grade

Commercial

### NEMA configuration

L15-30

### Design type

Single receptacle

### Number of wires

Grounding

4

### Operating temperature

-40 to 70 °C (-40 to 158 °F)

### Receptacle type

Single

### Voltage rating

3Ø 250 V

## Resources

### Brochures

[Complex environment devices brochure](#)

### Multimedia

[Arrow Hart - Connecting Safety to Reliability since 1890](#)

### Specifications and datasheets

[Eaton Specification Sheet - L1530R](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.  
All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://Eaton.com/socialmedia)