



Powering Business Worldwide

PJ1EMRD

Wallplate 1G Tog Poly Mid Emergency RD

UPC: 032664579370

Brand Name: Eaton

Sub Brand: Eaton

Special Features: Color Decorator White, LED Light Level Display

Application: Aspire RF Wireless Smart Dimmer System

Voltage Rating: 120 VAC

Wattage: 600 w

Number Of Poles: Single-pole or 3-way wiring

Frequency Rating: 60 Hz

Load: Incandescent, Halogen, Magnetic Low-Voltage

Connection: Wire Lead

Material: Polycarbonate

Size: 1.80 In Width X 1.36 In Depth X 3.81 In Height

Actuator: Push Pad

Operating Temperature: 0 To 40 Deg C

Environmental Conditions: Indoor use

PJ26EMRD

Wallplate 1G Deco EMERGENCY Poly Mid RD

UPC: 032664580000

Brand Name: Eaton

Sub Brand: ASPIRE RF

Type: Duplex, Straight Blade

Voltage Rating: 120 Vac



Powering Business Worldwide

PJ2EMRD

Wallplate 2G Tog EMERGENCY Poly Mid RD

UPC: 032664580185

Brand Name: Eaton

Sub Brand: ARROW HART

Type: 3 Position

Special Features: Wiring Type Back and Side Wire

Application: Industrial

Voltage Rating: 120/277 Vac

Amperage Rating: 15 Amp

Number Of Poles: 1

Connection: Screw

Actuator: Toggle

Color: Brown

Contact Configuration: Switches

Size: 0.75 In Width X .88 In Depth X 2.13 Back Length X 3.28
Screw to Screw

Mounting: Wall

Operating Temperature: -40 To 65 Deg C

PJ82EMRD

Wallplate 2G Dup EMERGENCY Poly Mid RD

UPC: 032664580741

Brand Name: Arrow Hart

Type: Flanged Inlet, Straight Blade

Special Features: Wiring Type Back Wire

Application: Industrial

Number Of Poles: 2

Number Of Wires: 3

Wire Size: 12 To 4 AWG

Amperage Rating: 30 Amp

Voltage Rating: 125 Vac

Material: ABS Housing, Nylon Interior Body/Terminal Retainer

Color: Gray

NEMA Rating: 5-30P



Powering Business Worldwide

PJ8EMRD

Wallplate 1G Dup EMERGENCY Poly Mid RD

UPC: 032664580857

Brand Name: Eaton

Sub Brand: ARROW HART

Type: Angled, Straight Blade

Special Features: Standard Grade, Angled Body

Application: Industrial

Number Of Poles: 3

Number Of Wires: 4

Wire Size: 18 To 10 AWG

Amperage Rating: 30 Amp

Voltage Rating: 250 Vac

Cord Type: 0.56 To 1.31 In Diameter

Material: High Strength Thermoplastic

Color: Gray

NEMA Rating: 15-30P

Connection: Screw

Size: 3.00 In Width X 4.30 In Height

Environmental Conditions: -40 To 75 Deg C