

HOFFMAN ENCLOSURES, INC. 2100 Hoffman Way Minneapolis, MN 55303-1745, USA +1.763.421.2240 main

Declaration of Conformity

Issued by Manufacturer Hoffman Enclosures, Inc.

2100 Hoffman Way, Anoka, Minnesota 55303-1745, U.S.A.

declare at our sole responsibility, that these devices are designed and constructed according to the fundamental safety and health requirements.

Enclosure Models: ATC**R*** (Bulletin T90R3)

Equipment Description: Hoffman Mild Steel Telephone Cabinet Enclosure

Enclosure Rating: NEMA / UL / cUL Type 3R

Enclosure Certification: UL50, 50E Listed E27567

UL2416 Listed E230874

File E27567 Vol. 1 Sec. 3 Page 1 Issued: 1984-04-03 and Report Revised: 2006-08-01

PRODUCT COVERED:

USL, CNL Cutout Boxes, Type 3R, 12 enclosure, sheet metal type.

File E230874 Vol. 1 Sec. 1 Page 1 Issued: 2002-10-02 and Report Revised: 2012-10-06

PRODUCT COVERED:

USL, CNL Telephone Cabinet, Cat. No. ATC**R***, where "*" denotes size changes. For indoor or outdoor use.

Applicable Standards: UL 50 Enclosures for Electrical Equipment, Non-

Environmental Considerations

UL 50E Enclosures for Electrical Equipment, Environmental

Considerations

UL 2416 "Outline of Investigation for Audio/Video, Information and Communication Technology equipment Cabinet, enclosure and rack

system"

cUL to CSA C22.2 No. 14, 94.1 and 94.2 "Special Purpose Enclosures" CSA-C22.2 No. 60950-1 "Information Technology Equipment – Safety

- Part 1: General Requirements"

NEMA250 Enclosures for Electrical Equipment (1000 Volts Maximum)

Tom Hurney Date

Technology Mgr., Product Compliance and Approvals

DOC: CERT-00190 E

20150923-E27567 **Certificate Number Report Reference** E27567-19840403 **Issue Date** 2015-SEPTEMBER-23

> HOFFMAN ENCLOSURES, INC. Issued to:

> > 2100 HOFFMAN WAY ANOKA MN 55303-1738

This is to certify that representative samples of CABINETS AND CUTOUT BOXES

USL, CNL Cutout boxes, Type 3R, 12 enclosure, sheet

metal type.

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard for Enclosures for Electrical Equipment, Standard(s) for Safety:

Environmental Considerations, UL 50E and CSA C22.2

No. 2-07

Additional Information: See the UL Online Certifications Directory at

www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.

Bambles



Certificate Number UL-CA-L230874-21-20012002-3

Report Reference 40TE230874-20021002

Date 7-Oct-2021

Issued to: Hoffman Enclosures Inc

2100 Hoffman Way Anoka, MN United States 55303-1738

This is to certify that representative samples of NWIN7 - Information Technology and Communications Equipment Cabinet, Enclosure and Rack Systems Certified

for Canada

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: CSA C22.2 No. 60950-1 - 2nd Ed. - Issue Date: 2007-03-27

- Revision Date: 2014-10-01


Additional Information: See the UL Online Certifications Directory at

https://iq.ulprospector.com for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Director North American Certification Program



Certificate Number UL-CA-L230874-21-20012002-3 Report Reference

40TE230874-20021002

7-Oct-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
ATC"R"" (b)	Telephone cabinets, for indoor or outdoor use
DBL******G (b)	L-Box wall mount enclosures, for indoor use
DBS******G (b)	D-Box wall mount enclosures, for indoor use
E-19FWM**U20+	Fixed wall-mounts
E-4DR19FM**U+	DataCom 4-Post open fram racks
E-DR19FM**U+	DataCom open fram racks
E-DR23FM**U+	DataCom open fram racks
E-VR19FM**U+	DataCom open fram racks
E-VR23FM**U+	DataCom open fram racks
E-WMS****** (b)	Double hinged wall mount cabinets
E-WMW***** (b)	Double hinged wall mount cabinets
E19BHPM*U12+	Bottom hinged panels
E19HPM*U+	Hinged wall-mounted panels
E19SM*U+	Side mount cabinets
E19SWM**U20+	Swing out racks
PivotRack, E19SWMCxxUyy (e)	Wall mount racks
VersaRack, E19SWMxxU** (f)	Swing-out wall racks
CableRack, E19T6U (rack unit (6))	Ceiling mount racks
EMDR19FM"U+	Heavy duty DataCom open fram racks
EMVR19FM**U+	Heavy duty DataCom open fram racks
Hinged Double Door Data Cabinets, Model, LCxxyyzz, where suffixes "xxyyxzz" denote the height, width, and depth of the cabinet and each digit can be any number 0 — 9 or blank.	Enclosure and Rack Systems for AV, ITE and CTE
MaxRack, Mxxyy8** (d)	2-Post open frame racks
NCxxxxxx (c)	Net series communication and server cabinets, for indoor use
NSxxxxx (c)	Net series communication and server cabinets, for indoor use
PROLINE \$1, PS1aaaxxyzB, where suffix "aaa" denotes customer preference options and Where xx, y, and z Denote dimensions times 100mm.	Series Network Cabinet

Bamere



Certificate Number UL-US-L230874-11-20012002-3

Report Reference 40TE230874-20021002

Date 7-Oct-2021

Issued to: Hoffman Enclosures Inc

2100 Hoffman Way Anoka, MN United States 55303-1738

This is to certify that representative samples of NWIN - Audio/Video, Information and Communication Technology Equipment Cabinet, Enclosure and Rack

Systems

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 2416, 1st Ed, Issue Date 2015-03-11, Revised Date

2019-11-14


Additional Information: See the UL Online Certifications Directory at

https://iq.ulprospector.com for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



z, Director North American Certification Program

(UL)

Certificate Number UL-US-L230874-11-20012002-3

Report Reference 40TE230874-20021002

Date 7-Oct-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
PROLINE \$1, PS1aaaxxyzB, Where suffix "aaa" denotes customer preference options and where xx, y, and z denote dimensions times 100mm.	
ATC"R" (b)	Telephone cabinets, for indoor or outdoor use
DBL******G (b)	L-Box wall mount enclosures, for indoor use
/DBS*****G (b)	D-Box wall mount enclosures, for indoor use
E-19FWM**U20+	Fixed wall-mounts
E-4DR19FM**U+	DataCom 4-Post open fram racks
E-DR19FM**U+	DataCom open fram racks
E-DR23FM**U+	DataCom open fram racks
E-VR19FM**U+	DataCom open fram racks
E-VR23FM**U+	DataCom open fram racks
E-WMS****** (b)	Double hinged wall mount cabinets
E-WMW***** (b)	Double hinged wall mount cabinets
E19BHPM*U12+	Bottom hinged panels
E19HPM*U+	Hinged wall-mounted panels
E19SM*U+	Side mount cabinets
E19SWM**U20+	Swing out racks
PivotRack, E19SWMCxxUyy (e)	Wall mount racks
VersaRack, E19SWMxxU** (f)	Swing-out wall racks
CableRack, E19T6U (rack unit (6))	Ceiling mount racks
EMDR19FM**U+	Heavy duty DataCom open fram racks
EMVR19FM**U+	Heavy duty DataCom open fram racks
Hinged Double Door Data Cabinets, Model, LCxxyyzz, where suffixes "xxyyxzz" denote the height, width, and depth of the cabinet and each digit can be any number 0 — 9 or blank.	Enclosure and Rack Systems for AV, ITE and CTE
MaxRack, MxxyyB** (d)	2-Post open frame racks
NCxxxxxx (c)	Net series communication and server cabinets, for indoor use
NSxxxxxx (c)	Net series communication and server cabinets, for indoor use
PROLINE \$1, PS1aaaxxyzB, where suffix "aaa" denotes customer preference options and Where xx, y, and z Denote dimensions times 100mm.	Series Network Cabinet

