



DIHS8.E62922

Circuit-breaker Accessories Certified for Canada - Component

[Page Bottom](#)

Circuit-breaker Accessories Certified for Canada - Component

[See General Information for Circuit-breaker Accessories Certified for Canada - Component](#)**SCHNEIDER ELECTRIC USA, INC.**

E62922

8001 KNIGHTDALE BLVD
KNIGHTDALE, NC 27545-9023 USA

Manual operators, Class 9422, Types RN-1, RP-1, RR-1, RR-2, RT-1, ARN-11 or -21, ARN-12, ART-11 or -21, BN-1, BP-1, BR-1, BNL-1, BPL-1, and BRL-1, with series designation.

Manual operator kits consisting of operating mechanism assemblies, handle assemblies and operating shafts, Class 9421, Types LJ1, LJ4, LJ7, LN-1, LN-3, LN-4, LP-1, LP-3, LP-4, LR-1, LR-4, LT-1 and LT-4 with series designations, Types LD7, LZ250, LZL250, LZ400 or LZL400, followed by C or H, may be followed by numbers, Types LD-1, LD4, LD7, LD14, LD44, LD74, LW-1, LW-4. Types LB1, LB3, LB4 or LB7.

Adjustable bracket mounting kits, Class 9422, Types TDK-1, TDK-2, and TDK-3 with series designations for through the door operating mechanisms.

Manual operator kits, cable operated, Class 9422, followed by Type CGJ, followed by 10, 11, 30, 31, 40, 41, 50 or 51.

Variable depth, Class 9422, followed by RG1, ARG11 or ARG21.

Door mounted, Class 9421, followed by LG1, LG3, LG4, LG7, LG8, LG13, LG13B, LG43, or LG43B.

Manual operator kits, cable operated, Class 9422, followed by Types CFA, CLA or CKA, followed by 10, 11, 30, 31, 50 or 51. Type CFAL followed by 10, 30 or 50.

Manual operator kit, Class 9421, Type LX1 or LX4.

Operating shafts, Class 9421, Types LS-8, LS-10, LS-12, LS-13 with series designations.

Handle assemblies, Class 9421, Types LC-43, LC-46, LC-48, LH-3, LH-6, LH-8, LH-43, LH-46, LH-48, LHP-8, LHP-48, LCP-48 with series designations.

Circuit breaker operating mechanism. Class 9421, Type LX7.

Manual operator kits, cable operated, Class 9422, followed by Type CSJ or CSF, followed by 10, 30, 40, 50, 70, 104, 304, 504 or 704; Type CMP, followed by two digits. or Type CSB followed by 10, 30, 50 or 70.

Variable depth, Class 9422, followed by RB1, RM1, RQ1 or RS1.

Electrical interlock kits, Class 9999, Type R50 or R51 for use with Class 9422, Type CSF cable operators.

Manual Operators, variable depth operating mechanism, Class 9422, Type RX-1, series A.

Manual operator kits, cable operated, Class 9422, followed by Type CGJD, followed by 1, 3, 4, 5, 8 or 9.

Manual operator kits, cable operated, Class 9422, followed by Type CSFJD, followed by two digits for the cable length, or Type REQ3872, followed by G and a number, or CSFD, followed by one, two or three numbers or REQ3904G1; Class 9422, followed by Type CSJD, followed by two digits for the cable length. Class 9422, followed by Type CSBD, followed by 1, 31, 33, 35, 51 or 55.

Electrical interlock kit, Class 9999, Type R55 for use with Class 9422, Type CGJ, CFA, CKA, CLA, CGJD, CSF, CSJ, CSFD, REQ3904G1 and CSFJD cable operators.

Handle assembly, Class 9421, Type LH79.

Marking: Company name or trademarks



, type designation and Recognized Component Mark for

Canada,  on device or carton.

[Last Updated](#) on 2017-06-13

[Questions?](#)[Print this page](#)[Terms of Use](#)[Page Top](#)

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2017 UL LLC".