



Product Datasheet


ANDERSON FARGO

HAS104C -- Suspension Clamp



Suspension Clamp, Aluminum, for use with conductors 0.5 - 1.04 with fitting: Clevis


Product Specifications

Series	 <p>HAS series Standard Voltage Aluminum</p>
PDF Catalog Page	Click HERE to view the web page.
Fitting	Clevis
Clamp Material	Aluminum
Fitting Catalog No.	CA-10
Ultimate Body Strength	25,000 lbs (11,340 kgs)
Maximum Take-off Angle 0	30
Dimension H	2.75 in (69.9 mm)
Dimension J	0.500 in (12.7 mm)
Dimension L	8.13 in (206 mm)
Dimension W	1.16 in (29.4 mm)
Hardware Material	Galvanized Steel
Minimum - Maximum Conductor Size	AAC 4/0 str (7) Thru AAC 336.4 kcmil (19) w/Armor Rods AAAC 3/0 str(7) Thru AAAC 312.8 kcmil str (19) w/Armor Rods ACSR 3/0 (6/1) Thru ACSR 211.3 kcmil (12/7) w/Armor Rods ACAR 503.6 kcmil (15/4) Thru ACAR 1277.0 kcmil (54/7)
Clamping Range	0.50 - 1.04 in (12.70 - 26.42 mm)
Voltage Application	Standard
Material Type	Standard

UPC Code	09635931472
Standard Package	10
Standard Package Unit	Each
Min Order Qty	1
Weight / Ea.	4.116 lbs

Compressed Product Number

HAS104C



[Catalog Home](#)



[Warranty Info](#) | [Trademarks](#) | [Terms of Use](#)

All contents Copyright © 2007 Hubbell Power Systems, Inc. All rights reserved.

NOTE: Because Hubbell has a policy of continuous product improvement, we reserve the right to change design and specifications without notice.