

# Eaton GD3060KC

Catalog Number: GD3060KC

Eaton Series C molded case switch, G-frame, GD, Molded case switch, Fixed thermal, fixed magnetic trip type, Three-pole, 60A, 480 Vac, 125/250 Vdc, 65 kAIC at 240 Vac, 22 kAIC at 480 Vac, Copper, 50/60 Hz



Photo is representative

## General specifications

|                                   |                                                                                                                                                                                  |
|-----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Name                      | Catalog Number                                                                                                                                                                   |
| Eaton Series C molded case switch | GD3060KC                                                                                                                                                                         |
| UPC                               | Product Length/Depth                                                                                                                                                             |
| 782113503240                      | 2.63 in                                                                                                                                                                          |
| Product Height                    | Product Width                                                                                                                                                                    |
| 4.88 in                           | 3 in                                                                                                                                                                             |
| Product Weight                    | Warranty                                                                                                                                                                         |
| 2.19 lb                           | Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first. |
| Certifications                    |                                                                                                                                                                                  |
| UL Listed                         |                                                                                                                                                                                  |

## defaultTaxonomyAttributeLabel

### Type

High magnetic molded case switch

### Amperage Rating

60 A

### Voltage rating

480 Vac, 125/250 Vdc

### Trip Type

Fixed thermal, fixed magnetic

### Circuit breaker type

GD

### Circuit breaker frame type

Molded case switch

### Series

Series C

### Frame

G

### Frequency rating

50/60 Hz

### Terminal material

Copper

### Interrupt rating

65 kAIC at 240 Vac

22 kAIC at 480 Vac

### Number of poles

Three-pole

## Resources

### Application notes

[Application of Tap Rules to Molded Case Breaker Terminals](#)

[Application of Multi-Wire Terminals for Molded Case Circuit Breakers](#)

[UL listed 100%-rated molded case circuit breakers](#)

### Brochures

[StrandAble terminals product aid](#)

[Power metering and monitoring with Modbus RTU product aid](#)

[Motor protection circuit breakers product aid](#)

[Plug-in adapters for molded case circuit breakers product aid](#)

[MOEM MCCB Product Selection Guide](#)

[Circuit breaker motor operators product aid](#)

[Multi-wire lugs product aid](#)

[Current limiting Series C molded case circuit breakers product aid](#)

[Breaker service centers](#)

### Catalogs

[Molded case circuit breakers catalog](#)

[Eaton's Volume 4—Circuit Protection](#)

### Drawings

[G-frame Molded Case Circuit Breaker Drawing](#)

### Installation instructions

[Installation Instructions for GD/GWF Molded Case Circuit Breakers and Switches](#)

### Multimedia

[Circuit breakers explained](#)

[Circuit Breakers Explained](#)

### Specifications and datasheets

[Series C G-Frame Time Current Curves](#)

[Series C J-Frame molded case circuit breakers time current curves](#)

[Eaton Specification Sheet - GD3060KC](#)

[Series C G-Frame molded case circuit breakers time current curves](#)

[MOEM MCCB product selection guide](#)

[Series C F-Frame molded case circuit breakers](#)

### Time/current curves

[Type GHB/GHC/GD/GPS 2 and 3-pole, 15-100A Time Curve](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are  
property of their respective  
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)