

Eaton NON-90

Catalog Number: NON-90

Eaton Bussmann series NON fuse, Non current limiting, Light duty circuit locations, 90 A, Class H, Non-indicating, Blade end x blade end, 50 kAIC at 125 Vdc|10 kAIC at 250 Vac, Standard, 5, 250 V, 125 Vdc



General specifications

| | |
|--------------------------------|----------------|
| Product Name | Catalog Number |
| Eaton Bussmann series NON fuse | NON-90 |
| UPC | EAN |
| 051712101677 | 5027590408141 |
| Product Length/Depth | Product Height |
| 1.6 in | 5.88 in |
| Product Width | Product Weight |
| 1.6 in | 0.3 lb |
| Warranty | Compliances |
| Not Applicable | CE Marked |

Electrical rating

Amperage Rating

90 A

Interrupt rating

10 kAIC at 250 Vac

50 kAIC at 125 Vdc

Voltage rating

250 Vac, 125 Vdc

Physical details

Packaging type

Standard

General information

Class

Class H

Connection

Blade end x blade end

Fuse indicator

Non-indicating

Quantity

5

Special features

Pin-indicating

Resources

Catalogs

Bussmann series complete full line catalog no. 1007

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - NON-90

Technical data sheets

NON-90-BUSS ONE TIME FUSE

Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)