

Eaton XTCE065D00A

Catalog Number: XTCE065D00A

Eaton XT IEC contactor, 65A, 110 Vac 50 Hz, 120 Vac 60 Hz, 0NO-0NC, 65A, Frame D, 55 mm, 50-60 Hz, 5, 10, 15/ 20, 25, 50, 60 hp(1/3PH@115, 200, 230/200, 230, 460, 575 V), Three-pole, , Screw terminals, FVNR

General specifications



Product Name

Eaton XT IEC contactor

Catalog Number

XTCE065D00A

EAN

4015082961725

Product Length/Depth

6 in

Product Height

1.5 in

Product Width

2 in

Product Weight

0.45 lb

Compliances

RoHS Compliant
CE Marked

Certifications

UL Listed
CSA Certified
IEC 60947
EN 60947

Catalog Notes

Screw terminals (6-65A); 5 mm (80-150A); no lugs (185-2000A)

defaultTaxonomyAttributeLabel

Amperage Rating

65A

HP rating - max

5, 10, 15/ 20, 25, 50, 60 hp (1/3PH
@ 115,200,230/200,230,460,575 V)

Number Of Poles

Three-pole

Type

Full voltage non-reversing contactor

Frequency rating

50-60 Hz

Frame size

55 mm

Terminals

Screw terminals

Coil

110-120 Vac, 50/60 Hz

Coil voltage

110-120 Vac, 50/60 Hz

Contact configuration

0 NO, 0 NC

Continuous ampere rating

65 A

Series

XT IEC

Operation

Non-reversing

Resources

Catalogs

[Eaton's Volume 5—Motor Control and Protection](#)

Drawings

[XTCE_D 3D Model Xchange](#)

[XTCE_D 2D PDF](#)

[XTCE_D 2D Drawing Xchange](#)

[XTCE_D AutoCAD 2D Footprint](#)

[XTCE_D 3D Inventor](#)

Specifications and datasheets

[Global Data Sheet - XTCE065D00A](#)

[Eaton Specification Sheet - XTCE065D00A](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)