



GE
Lighting




71632 - F14T5/830/WM/ECO

GE Ecolux® Watt-Miser® Starcoat® T5

- Saves energy compared to standard wattage lamps
- Passes TCLP, which can lower disposal costs.



High Color Rendering



GENERAL CHARACTERISTICS

| | |
|---------------------------------|---|
| Lamp Type | Linear Fluorescent - Straight |
| Bulb | Linear |
| Base | T5 |
| Rated Life (NOM) | 25000.0 h |
| Rated Life (rapid start) @ Time | 25000.0 @ 3.0/30000.0 @ 12.0 h |
| Bulb Material | Soda lime |
| Starting Temperature (MIN) | -20.0 °C |
| Mercury Content (NOM) | 2.5 mg |
| Picograms of Mercury (NOM) | 80.6 pg |
| Additional Info | Dimmable with appropriate dimming ballast./TCLP compliant |
| Primary Application | Energy Saving |

PHOTOMETRIC CHARACTERISTICS

| | |
|---|----------|
| Initial Lumens (NOM) | 1350.0 |
| Mean Lumens (NOM) | 1240.0 |
| Nominal Initial Lumens per Watt (NOM) | 103.8462 |
| Color Temperature (NOM) | 3000.0 K |
| Color Rendering Index (CRI) (NOM) | 85.0 |
| S/P Ratio (Scotopic/Photopic Ratio) (NOM) | 1.3 |

ELECTRICAL CHARACTERISTICS

| | |
|--|------|
| Wattage (NOM) | 13.0 |
| Cathode Resistance Ratio - Rh/Rc (MIN) | 4.25 |
| Cathode Resistance Ratio - Rh/Rc (MAX) | 6.5 |
| Current Crest Factor (MAX) | 1.7 |

DIMENSIONS

| | |
|---------------------------------------|---------------------|
| Maximum Overall Length (MOL) (NOM) | 21.600 in(548.6 mm) |
| Nominal Length (NOM) | 21.600 in(548.6 mm) |
| Bulb Diameter (DIA) (MAX) | 0.670 in(17.0 mm) |
| Bulb Diameter (DIA) (NOM) | 0.625 in(15.9 mm) |
| Max Base Face to Base Face (A) (NOM) | 21.610 in(548.9 mm) |
| Face to End of Opposing Pin (B) (MIN) | 21.790 in(553.5 mm) |
| Face to End of Opposing Pin (B) (MAX) | 21.890 in(556.0 mm) |

PRODUCT INFORMATION

| | |
|----------------------------|------------------|
| Product Code | 71632 |
| Description | F14T5/830/WM/ECO |
| Standard Package | Case |
| Standard Package GTIN | 10043168716328 |
| Standard Package Quantity | 40 |
| Sales Unit | Unit |
| No Of Items Per Sales Unit | 1 |
| No Of Items Per Standard | 40 |
| Package | |
| UPC | 043168716321 |

GRAPHS & CHARTS

Graphs_Spectral Power Distribution

