

Eaton UTH43209ACH

Catalog Number: UTH43209ACH

Eaton meter socket, 1-pos commercial or resi service, 320A, Under, Solid top, 3/8 inch stud, 4-jaw, 1-ph, (2) #6-350 kcmil, Lever bypass, Gnd conn (#14-#2 Cu), Triplex, 3-wire, Ringless, 600 Vac



General specifications

Product Name

Eaton meter socket

Catalog Number

UTH43209ACH

UPC

782116128068

Product Length/Depth

5.69 in

Product Height

26 in

Product Width

15 in

Product Weight

21 lb

Warranty

Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Certifications

UL Listed

defaultTaxonomyAttributeLabel

Type

Single-position commercial or residential service

Amperage Rating

320A

Feed type

Bottom

Number of jaws

Four-jaw

Phase

Single-phase

Utility approvals

OH : Dayton Power and Light (DP&L)

Line

3/8 in stud

Load

Dual #6-350 kcmil

Number of wires

Three-wire

Hub type

Solid top

Security

Ringless

Voltage rating

600 V

Bypass

Lever

Number of sockets

1

Resources

Brochures

[Single Meter Sockets](#)

Catalogs

[Eaton's Volume 1—Residential and Light Commercial](#)

Drawings

[Dimensional Drawing - SKT 320A 1P ST](#)

Specifications and datasheets

[Eaton Specification Sheet - UTH43209ACH](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)